

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU100818\
 Data File : VU027494.D
 Acq On : 08 Oct 2018 12:56
 Operator : MD/SY
 Sample : J5250-04
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0912

Quant Time: Oct 10 11:06:28 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100518WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 09 04:55:00 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	195469	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	183841	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	85155	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	65640	42.67	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.34%
7) Chloroethane-d5	1.68	69	53613	45.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.48%
11) 1,1-Dichloroethene-d2	2.27	63	93349	32.35	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.70%
21) 2-Butanone-d5	4.18	46	134007	107.91	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.91%
24) Chloroform-d	4.65	84	124798	50.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.44%
26) 1,2-Dichloroethane-d4	5.31	65	86356	50.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.18%
32) Benzene-d6	5.34	84	249794	47.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.82%
36) 1,2-Dichloropropane-d6	6.33	67	90705	50.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.52%
41) Toluene-d8	7.57	98	211260	44.86	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.72%
43) trans-1,3-Dichloropropene-	7.85	79	39730	45.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.38%
47) 2-Hexanone-d5	8.31	63	93974	103.10	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	103.10%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	118344	50.14	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.28%
64) 1,2-Dichlorobenzene-d4	11.86	152	81424	48.88	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.76%


Target Compounds					Ovalue
13) Acetone	2.32	43	2293	2.251 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU100818\
Data File : VU027494.D
Acq On : 08 Oct 2018 12:56
Operator : MD/SY
Sample : J5250-04
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0912

Quant Time: Oct 10 11:06:28 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100518WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 09 04:55:00 2018
Response via : Initial Calibration





#13

Acetone

Concen: 2.251 ug/L

RT: 2.32 min Scan# 358

Delta R.T. 0.00 min

Lab File: VU027494.D

Acq: 08 Oct 2018 12:56

Instrument :

MSVOA_U

ClientSampleId :

C0912

Tot Ion: 43 Resp: 2293

Ion Ratio Lower Upper

43 100

58 28.1 0.0 60.8

