

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U100818\
 Data File : VU027497.D
 Acq On : 08 Oct 2018 14:05
 Operator : MD/SY
 Sample : J5298-20
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E62X3

Quant Time: Oct 09 09:06:30 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100518WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 09 04:55:00 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	195421	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	183506	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	86978	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	63125	41.05	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	82.10%
7) Chloroethane-d5	1.68	69	51226	43.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.48%
11) 1,1-Dichloroethene-d2	2.27	63	89575	31.05	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.10%
21) 2-Butanone-d5	4.18	46	137352	110.63	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	110.63%
24) Chloroform-d	4.65	84	121375	49.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.68%
26) 1,2-Dichloroethane-d4	5.31	65	84549	49.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.10%
32) Benzene-d6	5.34	84	240747	45.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.56%
36) 1,2-Dichloropropane-d6	6.33	67	87772	48.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.44%
41) Toluene-d8	7.57	98	203723	43.34	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.68%
43) trans-1,3-Dichloropropene-	7.85	79	39350	45.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.66%
47) 2-Hexanone-d5	8.31	63	94932	104.34	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.34%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	115787	49.15	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.30%
64) 1,2-Dichlorobenzene-d4	11.86	152	77948	45.81	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.62%


Target Compounds					Ovalue
13) Acetone	2.32	43	5473	5.375 ug/L	99
42) Toluene	7.64	91	8280	1.368 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU100818\
Data File : VU027497.D
Acq On : 08 Oct 2018 14:05
Operator : MD/SY
Sample : J5298-20
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
E62X3

Quant Time: Oct 09 09:06:30 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100518WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 09 04:55:00 2018
Response via : Initial Calibration





#13

Acetone

Concen: 5.375 ug/L

RT: 2.32 min Scan# 358

Delta R.T. 0.00 min

Lab File: VU027497.D

Acq: 08 Oct 2018 14:05

Instrument :

MSVOA_U

ClientSampleId :





E62X3

Tot Ion: 43 Resp: 5473

Ion Ratio Lower Upper

43 100

58 29.7 0.0 60.8



#42

Toluene

Concen: 1.368 ug/L

RT: 7.64 min Scan# 2011

Delta R.T. 0.00 min

Lab File: VU027497.D

Acq: 08 Oct 2018 14:05

Tgt Ion: 91 Resp: 8280

Ion Ratio Lower Upper

91 100

92 54.7 40.2 74.6

