

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U100819\
 Data File : VU034996.D
 Acq On : 08 Oct 2019 17:54
 Operator : JC/SP
 Sample : K5268-04
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DBAX3

Quant Time: Oct 09 08:18:31 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100719WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Oct 09 07:15:09 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	166700	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	168405	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	65504	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	40754	4.14	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	82.80%
7) Chloroethane-d5	1.68	69	42000	4.57	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.40%
11) 1,1-Dichloroethene-d2	2.26	63	64680	3.11	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	62.20%
20) 2-Butanone-d5	4.17	46	141004	48.59	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	97.18%
24) Chloroform-d	4.63	84	93609	5.08	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.60%
26) 1,2-Dichloroethane-d4	5.29	65	54836	4.97	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.40%
32) Benzene-d6	5.32	84	182654	4.63	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.60%
36) 1,2-Dichloropropane-d6	6.31	67	66377	5.03	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.60%
41) Toluene-d8	7.55	98	162551	4.26	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.20%
43) trans-1,3-Dichloropropene-	7.84	79	18178	3.83	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	76.60%
46) 2-Hexanone-d5	8.30	63	101772	45.04	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	90.08%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	54306	4.88	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.60%
64) 1,2-Dichlorobenzene-d4	11.84	152	59940	5.42	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	108.40%


Target Compounds					Ovalue
13) Acetone	2.31	43	11273	4.743 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU100819\
Data File : VU034996.D
Acq On : 08 Oct 2019 17:54
Operator : JC/SP
Sample : K5268-04
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBAX3

Quant Time: Oct 09 08:18:31 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Oct 09 07:15:09 2019
Response via : Initial Calibration





#13

Acetone

Concen: 4.743 ug/L

RT: 2.31 min Scan# 380

Delta R.T. -0.01 min

Lab File: VU034996.D

Acq: 08 Oct 2019 17:54

Instrument :

MSVOA_U

ClientSampleId :

DBAX3

Tot Ion: 43 Resp: 11273

Ion Ratio Lower Upper

43 100

58 29.3 0.0 66.6

