

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100921\
 Data File : VU045269.D
 Acq On : 09 Oct 2021 17:49
 Operator : SY/MD
 Sample : M4027-05
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK001

Quant Time: Oct 11 01:48:26 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Oct 11 01:47:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	266721	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	257192	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.816	152	108734	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	137079	46.948	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	93.900%
7) Chloroethane-d5	1.903	69	110926	47.942	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.880%
11) 1,1-Dichloroethene-d2	2.565	63	167720	34.205	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.420%
21) 2-Butanone-d5	4.626	46	218996	94.872	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.870%
24) Chloroform-d	5.070	84	210294	45.602	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.200%
26) 1,2-Dichloroethane-d4	5.707	65	150720	48.251	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.500%
32) Benzene-d6	5.732	84	446442	50.024	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.040%
36) 1,2-Dichloropropane-d6	6.697	67	144799	49.759	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.520%
41) Toluene-d8	7.903	98	379264	49.244	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.480%
43) trans-1,3-Dichloroprop...	8.182	79	58015	44.819	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.640%
47) 2-Hexanone-d5	8.636	63	149565	92.746	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	92.750%
56) 1,1,2,2-Tetrachloroeth...	10.761	84	216921	47.871	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.740%
66) 1,2-Dichlorobenzene-d4	12.195	152	129025	54.525	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	109.040%
Target Compounds						
42) Toluene	7.973	91	6305	0.651	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100921\
Data File : VU045269.D
Acq On : 09 Oct 2021 17:49
Operator : SY/MD
Sample : M4027-05
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK001

Quant Time: Oct 11 01:48:26 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092321WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Oct 11 01:47:08 2021
Response via : Initial Calibration





#42
Toluene
Concen: 0.651 ug/L
RT: 7.973 min Scan# 2063
Delta R.T. 0.000 min
Lab File: VU045269.D
Acq: 09 Oct 2021 17:49

Instrument :
MSVOA_U
ClientSampleId :
VHBLK001

Tgt Ion: 91 Resp: 6305
Ion Ratio Lower Upper
91 100
92 56.0 40.5 75.1

