

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100921\
 Data File : VU045273.D
 Acq On : 09 Oct 2021 19:24
 Operator : SY/MD
 Sample : M4138-10
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK001

Quant Time: Oct 11 01:49:28 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Oct 11 01:47:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	267050	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	260044	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.816	152	110673	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	133709	45.737	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	91.480%
7) Chloroethane-d5	1.893	69	108545	46.855	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.720%
11) 1,1-Dichloroethene-d2	2.562	63	165311	33.672	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.340%
21) 2-Butanone-d5	4.626	46	214565	92.838	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	92.840%
24) Chloroform-d	5.067	84	207213	44.878	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.760%
26) 1,2-Dichloroethane-d4	5.707	65	148346	47.432	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.860%
32) Benzene-d6	5.729	84	439606	48.718	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.440%
36) 1,2-Dichloropropane-d6	6.694	67	143303	48.705	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.420%
41) Toluene-d8	7.903	98	372902	47.887	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.780%
43) trans-1,3-Dichloroprop...	8.182	79	56292	43.011	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.020%
47) 2-Hexanone-d5	8.636	63	146542	89.875	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	89.880%
56) 1,1,2,2-Tetrachloroeth...	10.761	84	216723	47.303	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.600%
66) 1,2-Dichlorobenzene-d4	12.195	152	128722	53.444	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	106.880%
Target Compounds						
42) Toluene	7.973	91	6085	0.621	ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100921\
Data File : VU045273.D
Acq On : 09 Oct 2021 19:24
Operator : SY/MD
Sample : M4138-10
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK001

Quant Time: Oct 11 01:49:28 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092321WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Oct 11 01:47:08 2021
Response via : Initial Calibration





#42
Toluene
Concen: 0.621 ug/L
RT: 7.973 min Scan# 2063
Delta R.T. -0.000 min
Lab File: VU045273.D
Acq: 09 Oct 2021 19:24

Instrument :
MSVOA_U
ClientSampleId :
VHBLK001

Tgt Ion: 91 Resp: 6085
Ion Ratio Lower Upper
91 100
92 65.0 40.5 75.1

