

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101019\
 Data File : VU035013.D
 Acq On : 09 Oct 2019 17:32
 Operator : JC/SP
 Sample : K5262-15
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFBB6

Quant Time: Oct 10 05:09:26 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 10 04:46:10 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	367848	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	352953	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	125707	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	136726	46.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.48%
7) Chloroethane-d5	1.68	69	112793	50.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	101.22%
11) 1,1-Dichloroethene-d2	2.26	63	194706	37.27	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.54%
21) 2-Butanone-d5	4.15	46	198057	90.94	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	90.94%
24) Chloroform-d	4.62	84	226433	47.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.22%
26) 1,2-Dichloroethane-d4	5.29	65	159922	49.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.00%
32) Benzene-d6	5.32	84	500494	50.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.84%
36) 1,2-Dichloropropane-d6	6.31	67	164457	50.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.40%
41) Toluene-d8	7.55	98	446587	47.97	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.94%
43) trans-1,3-Dichloropropene-	7.83	79	64107	43.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.38%
47) 2-Hexanone-d5	8.30	63	136362	87.77	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	87.77%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	228721	49.15	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.30%
64) 1,2-Dichlorobenzene-d4	11.84	152	140241	54.34	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.68%


Target Compounds				Ovalue
13) Acetone	2.31	43	12086	5.861 ug/L 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU101019\
Data File : VU035013.D
Acq On : 09 Oct 2019 17:32
Operator : JC/SP
Sample : K5262-15
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFBB6

Quant Time: Oct 10 05:09:26 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100319WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 10 04:46:10 2019
Response via : Initial Calibration





#13

Acetone

Concen: 5.861 ug/L

RT: 2.31 min Scan# 379

Delta R.T. 0.00 min

Lab File: VU035013.D

Acq: 09 Oct 2019 17:32

Instrument :
MSVOA_U
ClientSampleId :
BFBB6

Tot Ion: 43 Resp: 12086

Ion Ratio Lower Upper

43 100

58 32.0 0.0 61.4

