

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101019\
 Data File : VU035031.D
 Acq On : 10 Oct 2019 00:32
 Operator : JC/SP
 Sample : K5265-04
 Misc : 5.21g/5mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DBAR3

Quant Time: Oct 10 07:11:13 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 10 04:46:10 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	430366	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	425477	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	170263	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	129087	37.32	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	74.64%
7) Chloroethane-d5	1.63	69	94421	36.21	ug/L	-0.04
Spiked Amount	50.000	Range	70 - 130	Recovery	=	72.42%
11) 1,1-Dichloroethene-d2	2.22	63	188673	30.87	ug/L	-0.04
Spiked Amount	50.000	Range	60 - 125	Recovery	=	61.74%
21) 2-Butanone-d5	4.17	46	212871	83.54	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	83.54%
24) Chloroform-d	4.62	84	221290	39.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	78.70%
26) 1,2-Dichloroethane-d4	5.28	65	165746	43.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.80%
32) Benzene-d6	5.31	84	503703	42.10	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.20%
36) 1,2-Dichloropropane-d6	6.31	67	167838	42.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	85.00%
41) Toluene-d8	7.54	98	450325	40.13	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	80.26%
43) trans-1,3-Dichloropropene-	7.83	79	64670	36.56	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.12%
47) 2-Hexanone-d5	8.31	63	156084	83.34	ug/L	0.02
Spiked Amount	100.000	Range	45 - 130	Recovery	=	83.34%
57) 1,1,2,2-Tetrachloroethane-	10.42	84	240729	42.92	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	85.84%
64) 1,2-Dichlorobenzene-d4	11.84	152	153075	43.79	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.58%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU101019\
Data File : VU035031.D
Acq On : 10 Oct 2019 00:32
Operator : JC/SP
Sample : K5265-04
Misc : 5.21g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBAR3

Quant Time: Oct 10 07:11:13 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100319WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 10 04:46:10 2019
Response via : Initial Calibration

