

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU101022\
 Data File : VU051350.D
 Acq On : 11 Oct 2022 01:16
 Operator : JC/MD
 Sample : N5071-06
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C1BB6

Quant Time: Oct 11 05:57:41 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Oct 11 02:38:56 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	165330	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	187398	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	72275	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	48585	3.643	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	72.800%	
7) Chloroethane-d5	1.912	69	50998	4.451	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	89.000%	
11) 1,1-Dichloroethene-d2	2.565	65	19950	3.784	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	75.600%	
20) 2-Butanone-d5	4.620	46	159586	54.351	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	108.700%	
24) Chloroform-d	5.060	84	128750	5.178	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	103.600%	
26) 1,2-Dichloroethane-d4	5.700	65	67977	5.301	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	106.000%	
32) Benzene-d6	5.726	84	217780	4.224	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	84.400%	
36) 1,2-Dichloropropane-d6	6.690	67	82913	4.736	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	94.800%	
41) Toluene-d8	7.896	98	162742	3.528	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	70.600%	
43) trans-1,3-Dichloroprop...	8.179	79	23786	4.135	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	82.800%	
46) 2-Hexanone-d5	8.632	63	80884	41.722	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	83.440%	
56) 1,1,2,2-Tetrachloroeth...	10.754	84	72551	5.187	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	103.800%	
66) 1,2-Dichlorobenzene-d4	12.192	152	62003	4.936	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	98.800%	
Target Compounds						
					Qvalue	
3) Chloromethane	1.523	50	8229	0.435	ug/L	100
13) Acetone	2.626	43	7852	3.565	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU101022\
Data File : VU051350.D
Acq On : 11 Oct 2022 01:16
Operator : JC/MD
Sample : N5071-06
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C1BB6

Quant Time: Oct 11 05:57:41 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Oct 11 02:38:56 2022
Response via : Initial Calibration

