

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU101022\
 Data File : VU051322.D
 Acq On : 10 Oct 2022 13:11
 Operator : JC/MD
 Sample : N5013-09
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BHA47

Quant Time: Oct 11 01:00:42 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Oct 11 00:58:34 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	193685	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	220711	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	81404	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	54843	3.510	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	70.200%
7) Chloroethane-d5	1.912	69	54766	4.080	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	81.600%
11) 1,1-Dichloroethene-d2	2.565	65	22921	3.711	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	74.200%
20) 2-Butanone-d5	4.620	46	161547	46.964	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	93.920%
24) Chloroform-d	5.060	84	131695	4.521	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.400%
26) 1,2-Dichloroethane-d4	5.700	65	71477	4.758	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.200%
32) Benzene-d6	5.726	84	235550	3.879	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	77.600%
36) 1,2-Dichloropropane-d6	6.687	67	84395	4.093	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	81.800%
41) Toluene-d8	7.896	98	176354	3.246	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	65.000%#
43) trans-1,3-Dichloroprop...	8.179	79	24937	3.681	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	73.600%
46) 2-Hexanone-d5	8.632	63	86146	37.729	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	75.460%
56) 1,1,2,2-Tetrachloroeth...	10.755	84	74409	4.517	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.400%
66) 1,2-Dichlorobenzene-d4	12.192	152	65333	4.618	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	92.400%
Target Compounds						
					Qvalue	
13) Acetone	2.623	43	25230	9.779	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU101022\
Data File : VU051322.D
Acq On : 10 Oct 2022 13:11
Operator : JC/MD
Sample : N5013-09
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BHA47

Quant Time: Oct 11 01:00:42 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Oct 11 00:58:34 2022
Response via : Initial Calibration





#13
 Acetone
 Concen: 9.779 ug/L
 RT: 2.623 min Scan# 399
 Delta R.T. -0.019 min
 Lab File: VU051322.D
 Acq: 10 Oct 2022 13:11

Instrument :
 MSVOA_U
 ClientSampleId :
 BHA47

Tgt Ion: 43 Resp: 25230
 Ion Ratio Lower Upper
 43 100
 58 35.3 0.0 68.8

