

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU101022\
 Data File : VU051360.D
 Acq On : 11 Oct 2022 05:23
 Operator : JC/MD
 Sample : N5071-16
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C1BD0

Quant Time: Oct 11 05:59:36 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Oct 11 02:38:56 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	178436	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	203734	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	75359	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	49977	3.472	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	69.400%
7) Chloroethane-d5	1.912	69	51766	4.186	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	83.800%
11) 1,1-Dichloroethene-d2	2.565	65	21398	3.761	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	75.200%
20) 2-Butanone-d5	4.620	46	161534	50.974	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	101.940%
24) Chloroform-d	5.060	84	129522	4.827	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.600%
26) 1,2-Dichloroethane-d4	5.700	65	70469	5.092	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.800%
32) Benzene-d6	5.726	84	218130	3.892	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	77.800%
36) 1,2-Dichloropropane-d6	6.690	67	82985	4.360	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	87.200%
41) Toluene-d8	7.896	98	158367	3.158	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	63.200%#
43) trans-1,3-Dichloroprop...	8.179	79	23140	3.700	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	74.000%
46) 2-Hexanone-d5	8.632	63	78647	37.315	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	74.640%
56) 1,1,2,2-Tetrachloroeth...	10.755	84	72281	4.754	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	95.000%
66) 1,2-Dichlorobenzene-d4	12.192	152	63772	4.869	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.400%
Target Compounds					Qvalue	
13) Acetone	2.626	43	7533	3.169	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU101022\
Data File : VU051360.D
Acq On : 11 Oct 2022 05:23
Operator : JC/MD
Sample : N5071-16
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 49 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C1BD0

Quant Time: Oct 11 05:59:36 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Oct 11 02:38:56 2022
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.169 ug/L
 RT: 2.626 min Scan# 40
 Delta R.T. 0.003 min
 Lab File: VU051360.D
 Acq: 11 Oct 2022 05:23

Instrument :
 MSVOA_U
 ClientSampleId :
 C1BD0

Tgt Ion: 43 Resp: 7533
 Ion Ratio Lower Upper
 43 100
 58 32.1 0.0 68.8

