

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU101024\
 Data File : VU061087.D
 Acq On : 10 Oct 2024 14:21
 Operator : MD/SY
 Sample : P4380-11
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E27K0

Quant Time: Oct 11 06:48:19 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100124WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Oct 11 06:46:55 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	178059	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	165018	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	78520	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	43042	3.381	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	67.600%
7) Chloroethane-d5	1.908	69	37594	3.945	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	79.000%
11) 1,1-Dichloroethene-d2	2.560	65	20097	3.579	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	71.600%
20) 2-Butanone-d5	4.621	46	135618	44.474	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	88.940%
24) Chloroform-d	5.052	84	93786	4.180	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.600%
26) 1,2-Dichloroethane-d4	5.695	65	50242	4.225	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.400%
32) Benzene-d6	5.718	84	181622	4.174	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.400%
36) 1,2-Dichloropropane-d6	6.682	67	62119	4.347	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	87.000%
41) Toluene-d8	7.891	98	163941	4.031	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.600%
43) trans-1,3-Dichloroprop...	8.177	79	24746	4.050	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	81.000%
46) 2-Hexanone-d5	8.628	63	108549	42.924	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.840%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	46036	4.393	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	87.800%
66) 1,2-Dichlorobenzene-d4	12.187	152	55711	4.437	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	88.800%
Target Compounds						
					Qvalue	
13) Acetone	2.631	43	13264	6.763	ug/L	95
40) 4-Methyl-2-pentanone	7.788	43	30894	3.762	ug/L	95
42) Toluene	7.965	91	5716	0.110	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU101024\
Data File : VU061087.D
Acq On : 10 Oct 2024 14:21
Operator : MD/SY
Sample : P4380-11
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
E27K0

Quant Time: Oct 11 06:48:19 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100124WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Oct 11 06:46:55 2024
Response via : Initial Calibration

