

Data File : VU027617.D
Acq On : 12 Oct 2018 11:10
Operator : MD/SY
Sample : J5403-03
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C08Z2

Quant Time: Oct 22 07:00:31 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100518WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 13 01:37:08 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	184042	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	167425	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	69163	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	62413	43.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.18%
7) Chloroethane-d5	1.68	69	50071	44.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.74%
11) 1,1-Dichloroethene-d2	2.27	63	88831	32.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.40%
21) 2-Butanone-d5	4.18	46	109114	93.32	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.32%
24) Chloroform-d	4.65	84	108571	46.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.74%
26) 1,2-Dichloroethane-d4	5.31	65	74784	46.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.14%
32) Benzene-d6	5.34	84	222791	46.43	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.86%
36) 1,2-Dichloropropane-d6	6.33	67	77772	47.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.64%
41) Toluene-d8	7.57	98	187083	43.62	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.24%
43) trans-1,3-Dichloropropene-	7.85	79	33564	42.38	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.76%
47) 2-Hexanone-d5	8.31	63	75548	91.01	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.01%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	97746	45.48	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.96%
64) 1,2-Dichlorobenzene-d4	11.86	152	64608	47.75	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.50%

Target Compounds					Qvalue
13) Acetone	2.32	43	30414	31.714 ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU027617.D
Acq On : 12 Oct 2018 11:10
Operator : MD/SY
Sample : J5403-03
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C08Z2

Quant Time: Oct 22 07:00:31 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100518WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 13 01:37:08 2018
Response via : Initial Calibration

