

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\U101218\
 Data File : VU027624.D
 Acq On : 12 Oct 2018 15:26
 Operator : MD/SY
 Sample : J5403-05
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C08Z4

Quant Time: Oct 13 03:20:45 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100518WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Oct 13 01:37:08 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	158507	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	156795	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	63966	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	53685	43.04	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.08%
7) Chloroethane-d5	1.68	69	45523	47.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.74%
11) 1,1-Dichloroethene-d2	2.27	63	74658	31.91	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.82%
21) 2-Butanone-d5	4.18	46	101411	100.70	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.70%
24) Chloroform-d	4.65	84	93293	46.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.52%
26) 1,2-Dichloroethane-d4	5.31	65	66754	47.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.48%
32) Benzene-d6	5.34	84	186198	41.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	82.88%
36) 1,2-Dichloropropane-d6	6.33	67	66994	43.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	87.04%
41) Toluene-d8	7.57	98	156892	39.06	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	78.12%#
43) trans-1,3-Dichloropropene-	7.85	79	29688	40.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.06%
47) 2-Hexanone-d5	8.31	63	71859	92.43	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	92.43%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	91503	45.46	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.92%
64) 1,2-Dichlorobenzene-d4	11.86	152	56706	45.31	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.62%


Target Compounds						Qvalue
13) Acetone	2.32	43	2600	3.15	ug/L	90
46) Tetrachloroethene	8.23	164	59342	64.44	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU101218\
Data File : VU027624.D
Acq On : 12 Oct 2018 15:26
Operator : MD/SY
Sample : J5403-05
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C08Z4

Quant Time: Oct 13 03:20:45 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100518WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 13 01:37:08 2018
Response via : Initial Calibration





#13

Acetone

Concen: 3.15 ug/L

RT: 2.32 min Scan# 358

Delta R.T. 0.00 min

Lab File: VU027624.D

Acq: 12 Oct 2018 15:26

Instrument :

MSVOA_U

ClientSampleId :


C08Z4

Tgt Ion: 43 Resp: 2600

Ion Ratio Lower Upper




43 100

58 24.8 0.0 60.8



Abundance Ion 43.00 (42.70 to 43.70): VU027611.D (-338) (-)

Ion 58.00 (57.70 to 58.70): VU027611.D (-338) (-)



#46

Tetrachloroethene

Concen: 64.44 ug/L

RT: 8.23 min Scan# 2194

Delta R.T. 0.00 min

Lab File: VU027624.D

Acq: 12 Oct 2018 15:26

Tgt Ion: 164 Resp: 59342


Ion Ratio Lower Upper

164 100

129 96.3 67.0 124.4

131 91.9 65.1 120.9

166 128.6 90.4 167.8



Abundance Ion 164.00 (163.70 to 164.70): VU027611.D (-2182) (-)

Ion 129.00 (128.70 to 129.70): VU027611.D (-2182) (-)

Ion 131.00 (130.70 to 131.70): VU027611.D (-2182) (-)

Ion 166.00 (165.70 to 166.70): VU027611.D (-2182) (-)

