

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\U101218\
 Data File : VU027640.D
 Acq On : 12 Oct 2018 22:00
 Operator : MD/SY
 Sample : J5405-06
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C08Y0

Quant Time: Oct 13 04:39:30 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100518WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Oct 13 04:07:45 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	161143	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	149325	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	56140	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	53152	41.91	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.82%
7) Chloroethane-d5	1.68	69	43819	44.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.70%
11) 1,1-Dichloroethene-d2	2.28	63	75576	31.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.54%
21) 2-Butanone-d5	4.18	46	108881	106.35	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.35%
24) Chloroform-d	4.65	84	99052	48.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.66%
26) 1,2-Dichloroethane-d4	5.31	65	69221	48.70	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.40%
32) Benzene-d6	5.34	84	196170	45.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.68%
36) 1,2-Dichloropropane-d6	6.33	67	71871	49.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.06%
41) Toluene-d8	7.57	98	155552	40.66	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	81.32%
43) trans-1,3-Dichloropropene-	7.85	79	28216	39.95	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	79.90%
47) 2-Hexanone-d5	8.31	63	69111	93.35	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	93.35%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	92656	48.33	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.66%
64) 1,2-Dichlorobenzene-d4	11.86	152	54501	49.62	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.24%


Target Compounds					Qvalue
13) Acetone	2.32	43	3976	4.74 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU101218\
Data File : VU027640.D
Acq On : 12 Oct 2018 22:00
Operator : MD/SY
Sample : J5405-06
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C08Y0

Quant Time: Oct 13 04:39:30 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100518WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 13 04:07:45 2018
Response via : Initial Calibration





#13

Acetone

Concen: 4.74 ug/L

RT: 2.32 min Scan# 357

Delta R.T. -0.00 min

Lab File: VU027640.D

Acq: 12 Oct 2018 22:00



Instrument :
MSVOA_U
ClientSampleId :
C08Y0

Tgt Ion: 43 Resp: 3976

Ion Ratio Lower Upper

43 100

58 26.0 0.0 60.8



Abundance Ion 43.00 (42.70 to 43.70): VU0
Ion 58.00 (57.70 to 58.70): VU0

