

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU101218\
 Data File : VU027642.D
 Acq On : 12 Oct 2018 22:46
 Operator : MD/SY
 Sample : J5405-08
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C08Y2

Quant Time: Oct 13 04:47:33 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100518WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Oct 13 04:07:45 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	175198	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	162487	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	63279	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	54097	39.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	78.48%
7) Chloroethane-d5	1.68	69	45449	42.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.58%
11) 1,1-Dichloroethene-d2	2.27	63	77106	29.81	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	59.62%#
21) 2-Butanone-d5	4.18	46	106232	95.44	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	95.44%
24) Chloroform-d	4.65	84	99604	45.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.34%
26) 1,2-Dichloroethane-d4	5.31	65	69808	45.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.34%
32) Benzene-d6	5.34	84	198311	42.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.18%
36) 1,2-Dichloropropane-d6	6.33	67	71871	45.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.12%
41) Toluene-d8	7.57	98	158545	38.09	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	76.18%#
43) trans-1,3-Dichloropropene-	7.85	79	27983	36.41	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.82%
47) 2-Hexanone-d5	8.31	63	68122	84.56	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	84.56%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	93692	44.92	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.84%
64) 1,2-Dichlorobenzene-d4	11.86	152	56288	45.47	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.94%


Target Compounds					Qvalue
13) Acetone	2.32	43	2139	2.34 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU101218\
Data File : VU027642.D
Acq On : 12 Oct 2018 22:46
Operator : MD/SY
Sample : J5405-08
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C08Y2

Quant Time: Oct 13 04:47:33 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM100518WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 13 04:07:45 2018
Response via : Initial Calibration





#13

Acetone

Concen: 2.34 ug/L

RT: 2.32 min Scan# 358

Delta R.T. -0.00 min

Lab File: VU027642.D

Acq: 12 Oct 2018 22:46

Instrument :

MSVOA_U

ClientSampleId :

C08Y2

Tgt Ion: 43 Resp: 2139

Ion Ratio Lower Upper

43 100

58 28.4 0.0 60.8

