

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU101222\
 Data File : VU051396.D
 Acq On : 12 Oct 2022 18:08
 Operator : JC/MD
 Sample : VU1012WBL02
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK115

Quant Time: Oct 13 01:42:11 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Oct 13 01:37:29 2022
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	180789	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	200418	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.809	152	68078	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.594	65	88752	6.086	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	121.800%	
7) Chloroethane-d5	1.909	69	65072	5.193	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	103.800%	
11) 1,1-Dichloroethene-d2	2.562	65	30980	5.374	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	107.400%	
20) 2-Butanone-d5	4.639	46	152416	47.471	ug/L	0.02
Spiked Amount	50.000	Range 40 - 130	Recovery	=	94.940%	
24) Chloroform-d	5.060	84	129421	4.760	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	95.200%	
26) 1,2-Dichloroethane-d4	5.703	65	70669	5.040	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	100.800%	
32) Benzene-d6	5.726	84	243229	4.412	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	88.200%	
36) 1,2-Dichloropropane-d6	6.687	67	84918	4.535	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	90.800%	
41) Toluene-d8	7.896	98	176697	3.582	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	71.600%	
43) trans-1,3-Dichloroprop...	8.179	79	25777	4.190	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	83.800%	
46) 2-Hexanone-d5	8.636	63	83183	40.120	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	80.240%	
56) 1,1,2,2-Tetrachloroeth...	10.754	84	66860	4.470	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	89.400%	
66) 1,2-Dichlorobenzene-d4	12.192	152	52591	4.445	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	88.800%	
Target Compounds						
					Qvalue	
13) Acetone	2.652	43	9492	3.942	ug/L	60


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU101222\
Data File : VU051396.D
Acq On : 12 Oct 2022 18:08
Operator : JC/MD
Sample : VU1012WBL02
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK115

Quant Time: Oct 13 01:42:11 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Oct 13 01:37:29 2022
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.942 ug/L
 RT: 2.652 min Scan# 408
 Delta R.T. 0.026 min
 Lab File: VU051396.D
 Acq: 12 Oct 2022 18:08

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK115

Tgt Ion: 43 Resp: 9492
 Ion Ratio Lower Upper
 43 100
 58 11.5 0.0 68.8

