


Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101320\
Data File : VU040676.D
Acq On : 13 Oct 2020 12:42
Operator : SY/MD
Sample : L4345-21
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YAQZ1

Manual Integrations
APPROVED

MMDadoda
10/14/2020 5:14:00 PM

Quant Time: Oct 14 06:26:34 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100820WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Oct 14 05:57:05 2020
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101320\
 Data File : VU040676.D
 Acq On : 13 Oct 2020 12:42
 Operator : SY/MD
 Sample : L4345-21
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
ClientSampleId :
 YAQZ1

Manual Integrations
APPROVED

MMDadoda
 10/14/2020 5:14:00 PM

Quant Time: Oct 14 06:04:36 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100820WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Oct 14 05:57:05 2020
 Response via : Initial Calibration



TIC: VU040676.D

(13) Acetone (T)

2.675min (+0.003) 5.14ug/L

response 13416

Ion	Exp%	Act%
43.05	100	100
58.05	30.30	35.29
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101320\
 Data File : VU040676.D
 Acq On : 13 Oct 2020 12:42
 Operator : SY/MD
 Sample : L4345-21
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YAQZ1

Manual Integrations
 APPROVED

MMDadoda
 10/14/2020 5:14:00 PM

Quant Time: Oct 14 06:04:36 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100820WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Oct 14 05:57:05 2020
 Response via : Initial Calibration



(13) Acetone (T)

2.675min (+0.003) 8.54ug/L m

response 22270

Ion	Exp%	Act%
43.05	100	100
58.05	30.30	21.26
0.00	0.00	0.00
0.00	0.00	0.00

7 MB
10/15/20

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101320\
 Data File : VU040676.D
 Acq On : 13 Oct 2020 12:42
 Operator : SY/MD
 Sample : L4345-21
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YAQZ1

Manual Integrations
 APPROVED

MMDadoda
 10/14/2020 5:14:00 PM

Quant Time: Oct 14 06:26:34 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100820WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Oct 14 05:57:05 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	6.26	114	126885	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	132725	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	56915	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	41336	3.93	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	78.60%
7) Chloroethane-d5	1.92	69	36531	4.51	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	90.20%
11) 1,1-Dichloroethene-d2	2.58	63	63930	3.11	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	62.20%
20) 2-Butanone-d5	4.66	46	172204	51.18	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	102.36%
24) Chloroform-d	5.08	84	87745	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.20%
26) 1,2-Dichloroethane-d4	5.72	65	53867	4.79	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.80%
32) Benzene-d6	5.74	84	156157	4.36	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.20%
36) 1,2-Dichloropropane-d6	6.70	67	55700	4.69	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.80%
41) Toluene-d8	7.91	98	124559	3.89	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.80%
43) trans-1,3-Dichloropropene-	8.19	79	21741	4.32	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.40%
46) 2-Hexanone-d5	8.64	63	116428	44.88	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	89.76%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	48661	4.56	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	91.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	51820	4.91	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.20%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
13) Acetone	2.67	43	22270m	8.539	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

2 MD
 10/15/20