

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU101419\
 Data File : VU035162.D
 Acq On : 14 Oct 2019 20:12
 Operator : JC/SP
 Sample : K5310-24
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Oct 15 08:33:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100719WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Oct 10 03:36:45 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	143140	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	144825	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	58143	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	38998	4.61	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	92.20%
7) Chloroethane-d5	1.67	69	38888	4.92	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	98.40%
11) 1,1-Dichloroethene-d2	2.26	63	57972	3.25	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	65.00%
20) 2-Butanone-d5	4.17	46	157271	63.12	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	126.24%
24) Chloroform-d	4.62	84	73231	4.63	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.60%
26) 1,2-Dichloroethane-d4	5.29	65	49518	5.23	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.60%
32) Benzene-d6	5.32	84	153495	4.52	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.40%
36) 1,2-Dichloropropane-d6	6.31	67	56731	5.00	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.00%
41) Toluene-d8	7.55	98	128329	3.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	78.20%
43) trans-1,3-Dichloropropene-	7.84	79	16513	4.04	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.80%
46) 2-Hexanone-d5	8.30	63	106758	54.94	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	109.88%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	53242	5.57	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	111.40%
64) 1,2-Dichlorobenzene-d4	11.84	152	48064	4.90	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.00%


Target Compounds					Qvalue
25) Chloroform	4.65	83	15410	0.701 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU101419\
Data File : VU035162.D
Acq On : 14 Oct 2019 20:12
Operator : JC/SP
Sample : K5310-24
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Oct 15 08:33:43 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Oct 10 03:36:45 2019
Response via : Initial Calibration





#25
 Chloroform
 Concen: 0.701 ug/L
 RT: 4.65 min Scan# 1107
 Delta R.T. 0.00 min
 Lab File: VU035162.D
 Acq: 14 Oct 2019 20:12

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Tgt Ion: 83 Resp: 15410
 Ion Ratio Lower Upper
 83 100
 85 61.7 45.4 84.4

