

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U101420\
 Data File : VU040699.D
 Acq On : 14 Oct 2020 15:23
 Operator : SY/MD
 Sample : L4401-05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFSC5

Quant Time: Oct 15 06:16:55 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100820WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Oct 15 05:23:17 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	123445	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	124840	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	53544	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	46709	4.57	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.40%
7) Chloroethane-d5	1.92	69	40475	5.13	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	102.60%
11) 1,1-Dichloroethene-d2	2.58	63	70956	3.55	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	71.00%
20) 2-Butanone-d5	4.66	46	170394	52.06	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.12%
24) Chloroform-d	5.08	84	89970	5.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.20%
26) 1,2-Dichloroethane-d4	5.72	65	55315	5.06	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.20%
32) Benzene-d6	5.75	84	169009	5.02	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.40%
36) 1,2-Dichloropropane-d6	6.70	67	56546	5.06	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.20%
41) Toluene-d8	7.91	98	135464	4.49	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.80%
43) trans-1,3-Dichloropropene-	8.19	79	21529	4.55	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	91.00%
46) 2-Hexanone-d5	8.64	63	118207	48.44	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.88%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	48629	4.85	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.00%
64) 1,2-Dichlorobenzene-d4	12.19	152	52876	5.33	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.60%


Target Compounds					Ovalue
3) Chloromethane	1.53	50	12676	1.212 ug/L	95
13) Acetone	2.66	43	8663	3.414 ug/L	66


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU101420\
Data File : VU040699.D
Acq On : 14 Oct 2020 15:23
Operator : SY/MD
Sample : L4401-05
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFSC5

Quant Time: Oct 15 06:16:55 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100820WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Oct 15 05:23:17 2020
Response via : Initial Calibration





#3

Chloromethane

Concen: 1.212 ug/L

RT: 1.53 min Scan# 58

Delta R.T. 0.00 min

Lab File: VU040699.D

Acq: 14 Oct 2020 15:23

Instrument :

MSVOA_U

ClientSampleId :


BFSC5

Tot Ion: 50 Resp: 12676

Ion Ratio Lower Upper




50 100

52 33.9 21.9 40.7



Abundance Ion 50.05 (49.75 to 50.75): VU0

Ion 52.05 (51.75 to 52.75): VU0



#13

Acetone

Concen: 3.414 ug/L

RT: 2.66 min Scan# 412

Delta R.T. -0.01 min

Lab File: VU040699.D


Acq: 14 Oct 2020 15:23

Tgt Ion: 43 Resp: 8663

Ion Ratio Lower Upper

43 100

58 11.9 0.0 60.6



Abundance Ion 43.05 (42.75 to 43.75): VU0

Ion 58.05 (57.75 to 58.75): VU0

