

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101519\
 Data File : VU035194.D
 Acq On : 15 Oct 2019 17:52
 Operator : JC/SP
 Sample : K5317-04DL 10X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CE7DL

Quant Time: Oct 17 10:59:59 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100719WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Oct 15 15:10:16 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	208726	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	219462	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	77494	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	51972	4.21	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	84.20%
7) Chloroethane-d5	1.66	69	53065	4.61	ug/L	-0.01
Spiked Amount	5.000	Range	65 - 130	Recovery	=	92.20%
11) 1,1-Dichloroethene-d2	2.26	63	77918	3.00	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	60.00%
20) 2-Butanone-d5	4.16	46	200787	55.26	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	110.52%
24) Chloroform-d	4.62	84	111520	4.83	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.60%
26) 1,2-Dichloroethane-d4	5.29	65	69853	5.06	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.20%
32) Benzene-d6	5.31	84	217971	4.24	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.80%
36) 1,2-Dichloropropane-d6	6.31	67	81184	4.72	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.40%
41) Toluene-d8	7.54	98	175348	3.52	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	70.40%
43) trans-1,3-Dichloropropene-	7.83	79	24858	4.02	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.40%
46) 2-Hexanone-d5	8.30	63	140259	47.63	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	95.26%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	74636	5.15	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.00%
64) 1,2-Dichlorobenzene-d4	11.84	152	61649	4.72	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.40%

Target Compounds					Ovalue
47) Tetrachloroethene	8.21	164	93406	6.768 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU101519\
Data File : VU035194.D
Acq On : 15 Oct 2019 17:52
Operator : JC/SP
Sample : K5317-04DL 10X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CE7DL

Quant Time: Oct 17 10:59:59 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Oct 15 15:10:16 2019
Response via : Initial Calibration

