

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U101519\
 Data File : VU035193.D
 Acq On : 15 Oct 2019 17:28
 Operator : JC/SP
 Sample : K5317-17
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CH5

Quant Time: Oct 15 19:31:53 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100719WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Oct 15 15:10:16 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	204761	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	206937	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	74935	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	50304	4.16	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	83.20%
7) Chloroethane-d5	1.68	69	50286	4.45	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	89.00%
11) 1,1-Dichloroethene-d2	2.26	63	73590	2.88	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	57.60%#
20) 2-Butanone-d5	4.17	46	176600	49.54	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	99.08%
24) Chloroform-d	4.63	84	104420	4.61	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.20%
26) 1,2-Dichloroethane-d4	5.29	65	64576	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.20%
32) Benzene-d6	5.32	84	202409	4.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.40%
36) 1,2-Dichloropropane-d6	6.31	67	78214	4.82	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	96.40%
41) Toluene-d8	7.55	98	171630	3.66	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	73.20%
43) trans-1,3-Dichloropropene-	7.84	79	22229	3.81	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	76.20%
46) 2-Hexanone-d5	8.31	63	126372	45.51	ug/L	0.02
Spiked Amount	50.000	Range	45 - 130	Recovery	=	91.02%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	65662	4.80	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.00%
64) 1,2-Dichlorobenzene-d4	11.85	152	59289	4.69	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	93.80%


Target Compounds					Ovalue
13) Acetone	2.31	43	10938	3.747 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU101519\
Data File : VU035193.D
Acq On : 15 Oct 2019 17:28
Operator : JC/SP
Sample : K5317-17
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CH5

Quant Time: Oct 15 19:31:53 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Oct 15 15:10:16 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.747 ug/L
 RT: 2.31 min Scan# 380
 Delta R.T. 0.00 min
 Lab File: VU035193.D
 Acq: 15 Oct 2019 17:28

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CH5

Tot Ion: 43 Resp: 10938
 Ion Ratio Lower Upper
 43 100
 58 31.2 0.0 66.6

