

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101519\
 Data File : VU035195.D
 Acq On : 15 Oct 2019 18:16
 Operator : JC/SP
 Sample : K5317-16
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CF9

Quant Time: Oct 16 01:23:40 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100719WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Oct 15 15:10:16 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.87	114	203903	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	210744	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	72925	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	52735	4.38	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	87.60%
7) Chloroethane-d5	1.68	69	51665	4.59	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.80%
11) 1,1-Dichloroethene-d2	2.26	63	75212	2.96	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	59.20%#
20) 2-Butanone-d5	4.17	46	176471	49.72	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	99.44%
24) Chloroform-d	4.62	84	108102	4.80	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.00%
26) 1,2-Dichloroethane-d4	5.29	65	68206	5.05	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.00%
32) Benzene-d6	5.32	84	206520	4.18	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.60%
36) 1,2-Dichloropropane-d6	6.31	67	78860	4.77	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	95.40%
41) Toluene-d8	7.55	98	166922	3.49	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	69.80%#
43) trans-1,3-Dichloropropene-	7.84	79	23271	3.92	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.40%
46) 2-Hexanone-d5	8.31	63	123458	43.66	ug/L	0.02
Spiked Amount	50.000	Range	45 - 130	Recovery	=	87.32%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	69347	4.98	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.60%
64) 1,2-Dichlorobenzene-d4	11.85	152	58611	4.76	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.20%


Target Compounds					Ovalue
13) Acetone	2.31	43	15580	5.359 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU101519\
Data File : VU035195.D
Acq On : 15 Oct 2019 18:16
Operator : JC/SP
Sample : K5317-16
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CF9

Quant Time: Oct 16 01:23:40 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Oct 15 15:10:16 2019
Response via : Initial Calibration





#13

Acetone

Concen: 5.359 ug/L

RT: 2.31 min Scan# 380

Delta R.T. 0.00 min

Lab File: VU035195.D

Acq: 15 Oct 2019 18:16

Instrument :
MSVOA_U
ClientSampleId :
C0CF9

Tot Ion: 43 Resp: 15580

Ion Ratio Lower Upper

43 100

58 29.6 0.0 66.6

