

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101719\
 Data File : VU035258.D
 Acq On : 18 Oct 2019 10:40
 Operator : JC/SP
 Sample : K5318-15DL 25X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 62 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CH4DL

Quant Time: Oct 18 15:09:44 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR101719WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Oct 18 07:32:05 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	352383	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	336958	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	134213	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	99958	4.65	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	93.00%
7) Chloroethane-d5	1.93	69	88662	4.51	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	90.20%
11) 1,1-Dichloroethene-d2	2.60	63	139649	3.52	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.40%
20) 2-Butanone-d5	4.71	46	265527	43.00	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	86.00%
24) Chloroform-d	5.12	84	190255	4.85	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.00%
26) 1,2-Dichloroethane-d4	5.75	65	105825	4.86	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.20%
32) Benzene-d6	5.77	84	384540	4.99	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.80%
36) 1,2-Dichloropropane-d6	6.74	67	123668	5.05	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.00%
41) Toluene-d8	7.93	98	361428	4.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.00%
43) trans-1,3-Dichloropropene-	8.22	79	55303	4.66	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	93.20%
46) 2-Hexanone-d5	8.69	63	222122	42.42	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	84.84%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	101408	4.65	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.00%
64) 1,2-Dichlorobenzene-d4	12.22	152	121163	4.96	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.20%

Target Compounds					Ovalue
47) Tetrachloroethene	8.59	164	185064	8.334 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU101719\
Data File : VU035258.D
Acq On : 18 Oct 2019 10:40
Operator : JC/SP
Sample : K5318-15DL 25X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 62 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CH4DL

Quant Time: Oct 18 15:09:44 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR101719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Oct 18 07:32:05 2019
Response via : Initial Calibration

