

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101719\
 Data File : VU035225.D
 Acq On : 17 Oct 2019 21:05
 Operator : JC/SP
 Sample : K5318-10
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CG9

Quant Time: Oct 18 05:15:15 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR101719WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Oct 18 03:45:16 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	371259	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	359414	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	147556	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	115731	5.11	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	102.20%
7) Chloroethane-d5	1.93	69	104220	5.04	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	100.80%
11) 1,1-Dichloroethene-d2	2.60	63	160970	3.85	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	77.00%
20) 2-Butanone-d5	4.72	46	312384	48.02	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	96.04%
24) Chloroform-d	5.11	84	205865	4.98	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.60%
26) 1,2-Dichloroethane-d4	5.75	65	119558	5.22	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.40%
32) Benzene-d6	5.77	84	426261	5.19	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.80%
36) 1,2-Dichloropropane-d6	6.74	67	136428	5.23	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	104.60%
41) Toluene-d8	7.93	98	407230	5.18	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.60%
43) trans-1,3-Dichloropropene-	8.22	79	60485	4.78	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	95.60%
46) 2-Hexanone-d5	8.69	63	260906	46.71	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.42%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	112733	4.85	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.00%
64) 1,2-Dichlorobenzene-d4	12.22	152	137170	5.10	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.00%


Target Compounds					Ovalue
13) Acetone	2.69	43	8436	1.864 ug/L	94
47) Tetrachloroethene	8.59	164	187098	7.899 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU101719\
Data File : VU035225.D
Acq On : 17 Oct 2019 21:05
Operator : JC/SP
Sample : K5318-10
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CG9

Quant Time: Oct 18 05:15:15 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR101719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Oct 18 03:45:16 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.864 ug/L

RT: 2.69 min Scan# 421

Delta R.T. -0.00 min

Lab File: VU035225.D

Acq: 17 Oct 2019 21:05

Instrument :

MSVOA_U

ClientSampleId :


C0CG9

Tot Ion: 43 Resp: 8436

Ion Ratio Lower Upper

43 100

58 34.1 0.0 61.8



Abundance Ion 43.05 (42.75 to 43.75): VU035210.D (-405) (-)

Ion 58.05 (57.75 to 58.75): VU035210.D (-405) (-)

2.69

5000

4000

3000



2000

1000

0

Time-->

2.65 2.70 2.75



#47

Tetrachloroethene

Concen: 7.899 ug/L

RT: 8.59 min Scan# 2254

Delta R.T. 0.00 min

Lab File: VU035225.D

Acq: 17 Oct 2019 21:05

Tgt Ion: 164 Resp: 187098


Ion Ratio Lower Upper

164 100

129 89.4 65.2 121.0

131 86.5 62.9 116.9

166 126.3 91.5 169.9



Abundance Ion 163.90 (163.60 to 164.60): VU035210.D (-2239) (-)

Ion 128.95 (128.65 to 129.65): VU035210.D (-2239) (-)

Ion 130.95 (130.65 to 131.65): VU035210.D (-2239) (-)

Ion 165.90 (165.60 to 166.60): VU035210.D (-2239) (-)

200000

150000

100000

50000

0

Time-->

8.50 8.60 8.70

