

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101719\
 Data File : VU035238.D
 Acq On : 18 Oct 2019 02:56
 Operator : JC/SP
 Sample : K5419-07
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 H0G44

Quant Time: Oct 18 06:31:58 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR101719WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Oct 18 05:36:44 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	351488	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	337947	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.85	152	123260	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.62	65	112264	5.24	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	104.80%
7) Chloroethane-d5	1.94	69	100273	5.12	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	102.40%
11) 1,1-Dichloroethene-d2	2.60	63	151974	3.84	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	76.80%
20) 2-Butanone-d5	4.71	46	271642	44.10	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	88.20%
24) Chloroform-d	5.12	84	162860	4.16	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.20%
26) 1,2-Dichloroethane-d4	5.75	65	113378	5.22	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.40%
32) Benzene-d6	5.77	84	417291	5.40	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	108.00%
36) 1,2-Dichloropropane-d6	6.74	67	130800	5.33	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	106.60%
41) Toluene-d8	7.93	98	389833	5.27	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.40%
43) trans-1,3-Dichloropropene-	8.22	79	54718	4.60	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.00%
46) 2-Hexanone-d5	8.70	63	234551	44.66	ug/L	0.02
Spiked Amount	50.000	Range	45 - 130	Recovery	=	89.32%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	69230	3.17	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	63.40%#
64) 1,2-Dichlorobenzene-d4	12.23	152	115717	5.15	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.00%


Target Compounds				Ovalue
25) Chloroform	5.14	83	39770	0.822 ug/L 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU101719\
Data File : VU035238.D
Acq On : 18 Oct 2019 02:56
Operator : JC/SP
Sample : K5419-07
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 42 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
H0G44

Quant Time: Oct 18 06:31:58 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR101719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Oct 18 05:36:44 2019
Response via : Initial Calibration





#25
 Chloroform
 Concen: 0.822 ug/L
 RT: 5.14 min Scan# 1181
 Delta R.T. -0.00 min
 Lab File: VU035238.D
 Acq: 18 Oct 2019 02:56

Instrument :
 MSVOA_U
 ClientSampleId :
 H0G44

Tot Ion: 83 Resp: 39770
 Ion Ratio Lower Upper
 83 100
 85 64.9 45.1 83.9

