

Quantitation Report (LSC Reviewed)


Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101720\
 Data File : VU040773.D
 Acq On : 17 Oct 2020 20:04
 Operator : SY/MD
 Sample : L4423-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFSF7

Manual Integrations
 APPROVED

apatel
 10/22/2020 9:09:42 AM

Quant Time: Oct 19 04:08:43 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100820WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon Oct 19 03:08:11 2020
 Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101720\
 Data File : VU040773.D
 Acq On : 17 Oct 2020 20:04
 Operator : SY/MD
 Sample : L4423-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFSF7

Manual Integrations
 APPROVED

apatel
 10/22/2020 9:09:42 AM

Quant Time: Oct 22 04:03:44 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA U\METHOD\SOMUTR100820WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Oct 22 03:12:03 2020
 Response via : Initial Calibration



TIC: VU040773.D

(13) Acetone (T)

2.687min (+0.029) 2.86ug/L

response 6034

Ion	Exp%	Act%
43.05	100	100
58.05	30.30	30.84
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101720\
 Data File : VU040773.D
 Acq On : 17 Oct 2020 20:04
 Operator : SY/MD
 Sample : L4423-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFSF7

Manual Integrations
 APPROVED

apatel
 10/22/2020 9:09:42 AM

Quant Time: Oct 19 04:08:43 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100820WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon Oct 19 03:08:11 2020
 Response via : Initial Calibration



(13) Acetone (T)

2.687min (+0.013) 4.97ug/L m *MD*
10/21/2020

response 10511

Ion	Exp%	Act%
43.05	100	100
58.05	30.30	17.71
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (LSC Reviewed)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101720\
 Data File : VU040773.D
 Acq On : 17 Oct 2020 20:04
 Operator : SY/MD
 Sample : L4423-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFSF7

Manual Integrations
 APPROVED

apatel
 10/22/2020 9:09:42 AM

Quant Time: Oct 19 04:08:43 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100820WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon Oct 19 03:08:11 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	102808	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	109130	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	43615	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	32771	3.85	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	77.00%
7) Chloroethane-d5	1.92	69	32508	4.95	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	99.00%
11) 1,1-Dichloroethene-d2	2.58	63	54207	3.25	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	65.00%
20) 2-Butanone-d5	4.67	46	168525	61.82	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	123.64%
24) Chloroform-d	5.08	84	81046	5.42	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	108.40%
26) 1,2-Dichloroethane-d4	5.72	65	51218	5.62	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	112.40%
32) Benzene-d6	5.74	84	140595	4.78	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.60%
36) 1,2-Dichloropropane-d6	6.70	67	52107	5.33	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	106.60%
41) Toluene-d8	7.91	98	105200	3.99	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.80%
43) trans-1,3-Dichloropropene-	8.19	79	19185	4.63	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.60%
46) 2-Hexanone-d5	8.64	63	113395	53.16	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	106.32%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	47017	5.36	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	107.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	46163	5.71	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	114.20%

Target Compounds

3) Chloromethane	1.53	50	17416	1.999	ug/L	Ovalue 100
13) Acetone	2.69	43	10511m	4.974	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed