

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101819\
 Data File : VU035268.D
 Acq On : 18 Oct 2019 15:43
 Operator : JC/SP
 Sample : K5318-04DL 5X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CG3DL

Quant Time: Oct 19 04:25:25 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR101719WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Oct 19 03:38:09 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	354642	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	338199	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	137745	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	98446	4.55	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.00%
7) Chloroethane-d5	1.93	69	95630	4.84	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	96.80%
11) 1,1-Dichloroethene-d2	2.60	63	138657	3.47	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.40%
20) 2-Butanone-d5	4.72	46	295142	47.49	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	94.98%
24) Chloroform-d	5.12	84	192135	4.86	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.20%
26) 1,2-Dichloroethane-d4	5.75	65	109911	5.02	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.40%
32) Benzene-d6	5.77	84	392678	5.08	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.60%
36) 1,2-Dichloropropane-d6	6.74	67	127678	5.20	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	104.00%
41) Toluene-d8	7.93	98	359983	4.87	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.40%
43) trans-1,3-Dichloropropene-	8.22	79	55811	4.68	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	93.60%
46) 2-Hexanone-d5	8.69	63	252455	48.03	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.06%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	108507	4.96	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.20%
64) 1,2-Dichlorobenzene-d4	12.22	152	123907	4.94	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.80%


Target Compounds					Ovalue
47) Tetrachloroethene	8.58	164	217790	9.772 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU101819\
Data File : VU035268.D
Acq On : 18 Oct 2019 15:43
Operator : JC/SP
Sample : K5318-04DL 5X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CG3DL

Quant Time: Oct 19 04:25:25 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR101719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Oct 19 03:38:09 2019
Response via : Initial Calibration






#47
Tetrachloroethene
Concen: 9.772 ug/L
RT: 8.58 min Scan# 2253
Delta R.T. -0.00 min
Lab File: VU035268.D
Acq: 18 Oct 2019 15:43

Instrument :
MSVOA_U
ClientSampleId :
C0CG3DL

Tot Ion:	164	Resp:	217790
Ion	Ratio	Lower	Upper
164	100		
129	91.9	65.2	121.0
131	88.7	62.9	116.9
166	128.0	91.5	169.9



Abundance Ion 163.90 (163.60 to 164.60): V
Ion 128.95 (128.65 to 129.65): V
Ion 130.95 (130.65 to 131.65): V
Ion 165.90 (165.60 to 166.60): V

