

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101819\
 Data File : VU035269.D
 Acq On : 18 Oct 2019 16:05
 Operator : JC/SP
 Sample : K5318-06DL 5X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CG5DL

Quant Time: Oct 19 04:42:55 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR101719WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Oct 19 03:38:09 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	352988	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	338972	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	134782	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	100492	4.67	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	93.40%
7) Chloroethane-d5	1.93	69	96246	4.89	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	97.80%
11) 1,1-Dichloroethene-d2	2.60	63	139902	3.52	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.40%
20) 2-Butanone-d5	4.72	46	303608	49.09	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	98.18%
24) Chloroform-d	5.12	84	195549	4.97	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.40%
26) 1,2-Dichloroethane-d4	5.75	65	112280	5.15	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.00%
32) Benzene-d6	5.77	84	396169	5.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.20%
36) 1,2-Dichloropropane-d6	6.74	67	129055	5.24	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	104.80%
41) Toluene-d8	7.93	98	367615	4.96	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.20%
43) trans-1,3-Dichloropropene-	8.22	79	54962	4.60	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.00%
46) 2-Hexanone-d5	8.69	63	245267	46.56	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.12%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	106371	4.85	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.00%
64) 1,2-Dichlorobenzene-d4	12.22	152	122641	5.00	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.00%


Target Compounds					Ovalue
47) Tetrachloroethene	8.58	164	209758	9.390 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU101819\
Data File : VU035269.D
Acq On : 18 Oct 2019 16:05
Operator : JC/SP
Sample : K5318-06DL 5X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CG5DL

Quant Time: Oct 19 04:42:55 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR101719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Oct 19 03:38:09 2019
Response via : Initial Calibration





#47

Tetrachloroethene

Concen: 9.390 ug/L

RT: 8.58 min Scan# 2253

Delta R.T. 0.00 min

Lab File: VU035269.D

Acq: 18 Oct 2019 16:05

Instrument :

MSVOA_U

ClientSampleId :

C0CG5DL

Tot Ion:164 Resp: 209758


Ion Ratio Lower Upper

164 100

129 92.2 65.2 121.0

131 87.7 62.9 116.9

166 129.8 91.5 169.9



Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

