

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU101920\
 Data File : VU040799.D
 Acq On : 19 Oct 2020 13:00
 Operator : SY/MD
 Sample : L4421-22
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK02

Quant Time: Oct 20 02:28:49 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100820WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Oct 20 01:28:45 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	118166	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	123776	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	51287	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	48752	4.98	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	99.60%
7) Chloroethane-d5	1.93	69	41855	5.54	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	110.80%
11) 1,1-Dichloroethene-d2	2.58	63	77324	4.04	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	80.80%
20) 2-Butanone-d5	4.66	46	167990	53.62	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.24%
24) Chloroform-d	5.08	84	90238	5.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.00%
26) 1,2-Dichloroethane-d4	5.72	65	57040	5.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	109.00%
32) Benzene-d6	5.74	84	172249	5.16	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.20%
36) 1,2-Dichloropropane-d6	6.70	67	57412	5.18	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	103.60%
41) Toluene-d8	7.91	98	138771	4.64	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.80%
43) trans-1,3-Dichloropropene-	8.19	79	22114	4.71	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	94.20%
46) 2-Hexanone-d5	8.64	63	118097	48.81	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	97.62%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	49305	4.96	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	54052	5.68	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	113.60%


Target Compounds					Ovalue
25) Chloroform	5.11	83	4779	0.256 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU101920\
Data File : VU040799.D
Acq On : 19 Oct 2020 13:00
Operator : SY/MD
Sample : L4421-22
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK02

Quant Time: Oct 20 02:28:49 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100820WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Oct 20 01:28:45 2020
Response via : Initial Calibration






#25
 Chloroform
 Concen: 0.256 ug/L
 RT: 5.11 min Scan# 1171
 Delta R.T. -0.00 min
 Lab File: VU040799.D
 Acq: 19 Oct 2020 13:00

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK02

Tot Ion: 83 Resp: 4779
 Ion Ratio Lower Upper
 83 100
 85 70.5 46.5 86.5



Abundance Ion 83.05 (82.75 to 83.75): VU0
 Ion 85.00 (84.70 to 85.70): VU0

