

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU102020\
 Data File : VU040849.D
 Acq On : 20 Oct 2020 15:37
 Operator : SY/MD
 Sample : L4420-09
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Oct 21 00:50:14 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100820WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Oct 20 23:49:45 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	130387	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	138235	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	57210	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	42588	3.94	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	78.80%
7) Chloroethane-d5	1.92	69	36275	4.35	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	87.00%
11) 1,1-Dichloroethene-d2	2.58	63	65509	3.10	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	62.00%
20) 2-Butanone-d5	4.65	46	160399	46.39	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	92.78%
24) Chloroform-d	5.08	84	82692	4.36	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.20%
26) 1,2-Dichloroethane-d4	5.72	65	54210	4.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.80%
32) Benzene-d6	5.74	84	154411	4.14	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.80%
36) 1,2-Dichloropropane-d6	6.70	67	52523	4.24	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	84.80%
41) Toluene-d8	7.91	98	122376	3.67	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	73.40%
43) trans-1,3-Dichloropropene-	8.19	79	20337	3.88	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	77.60%
46) 2-Hexanone-d5	8.64	63	112204	41.53	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	83.06%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	47986	4.32	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.40%
64) 1,2-Dichlorobenzene-d4	12.19	152	50419	4.75	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.00%

Target Compounds

					Ovalue
12) 1,1-Dichloroethene	2.59	96	1131m	0.122	ug/L
22) cis-1,2-Dichloroethene	4.69	96	2298	0.219	ug/L
25) Chloroform	5.11	83	6544	0.318	ug/L
31) Carbon tetrachloride	5.54	117	3093	0.195	ug/L
34) Trichloroethene	6.55	95	10613	0.922	ug/L
47) Tetrachloroethene	8.56	164	6446	0.785	ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU102020\
Data File : VU040849.D
Acq On : 20 Oct 2020 15:37
Operator : SY/MD
Sample : L4420-09
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Oct 21 00:50:14 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR100820WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Oct 20 23:49:45 2020
Response via : Initial Calibration

