

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU102120\
 Data File : VU040881.D
 Acq On : 21 Oct 2020 18:17
 Operator : SY/MD
 Sample : L4420-03
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Oct 22 01:56:55 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Oct 22 00:42:50 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	215821	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	229497	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	94111	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	76426	5.16	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	103.20%
7) Chloroethane-d5	1.92	69	65445	5.07	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	101.40%
11) 1,1-Dichloroethene-d2	2.58	63	115386	3.67	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	73.40%
20) 2-Butanone-d5	4.65	46	330591	62.93	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	125.86%
24) Chloroform-d	5.08	84	163879	5.05	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.00%
26) 1,2-Dichloroethane-d4	5.72	65	101998	5.61	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	112.20%
32) Benzene-d6	5.74	84	285783	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.20%
36) 1,2-Dichloropropane-d6	6.70	67	100599	4.93	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.60%
41) Toluene-d8	7.91	98	220862	4.14	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.80%
43) trans-1,3-Dichloropropene-	8.19	79	39245	4.80	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	96.00%
46) 2-Hexanone-d5	8.64	63	240682	58.56	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	117.12%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	93327	5.37	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	107.40%
64) 1,2-Dichlorobenzene-d4	12.19	152	90862	5.49	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	109.80%


Target Compounds					Ovalue
16) Methylene chloride	3.07	84	2494	0.128 ug/L	86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU102120\
Data File : VU040881.D
Acq On : 21 Oct 2020 18:17
Operator : SY/MD
Sample : L4420-03
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Oct 22 01:56:55 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Oct 22 00:42:50 2020
Response via : Initial Calibration





#16
Methvlene chloride
Concen: 0.128 ug/L
RT: 3.07 min Scan# 537
Delta R.T. 0.01 min
Lab File: VU040881.D
Acq: 21 Oct 2020 18:17

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Tot Ion: 84 Resp: 2494
Ion Ratio Lower Upper
84 100
86 55.8 44.9 83.5
49 154.1 94.7 175.9

