

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU102319\
 Data File : VU035402.D
 Acq On : 23 Oct 2019 11:44
 Operator : JC/SP
 Sample : K5458-02
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Oct 23 17:34:49 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR101719WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Oct 23 17:16:19 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	244255	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	248360	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	92787	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	87425	5.87	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	117.40%
7) Chloroethane-d5	1.93	69	80428	5.91	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	118.20%
11) 1,1-Dichloroethene-d2	2.59	63	114476	4.16	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	83.20%
20) 2-Butanone-d5	4.71	46	231794	54.16	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.32%
24) Chloroform-d	5.11	84	156220	5.74	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	114.80%
26) 1,2-Dichloroethane-d4	5.75	65	87432	5.80	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	116.00%
32) Benzene-d6	5.77	84	301524	5.31	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	106.20%
36) 1,2-Dichloropropane-d6	6.74	67	100644	5.58	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	111.60%
41) Toluene-d8	7.93	98	249559	4.59	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.80%
43) trans-1,3-Dichloropropene-	8.22	79	36779	4.20	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.00%
46) 2-Hexanone-d5	8.69	63	172248	44.63	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	89.26%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	84823	5.28	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	105.60%
64) 1,2-Dichlorobenzene-d4	12.22	152	87447	5.17	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.40%


Target Compounds					Ovalue
16) Methylene chloride	3.09	84	2868	0.152 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU102319\
Data File : VU035402.D
Acq On : 23 Oct 2019 11:44
Operator : JC/SP
Sample : K5458-02
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Oct 23 17:34:49 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR101719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Oct 23 17:16:19 2019
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 0.152 ug/L
 RT: 3.09 min Scan# 543
 Delta R.T. 0.00 min
 Lab File: VU035402.D
 Acq: 23 Oct 2019 11:44

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Tot Ion: 84 Resp: 2868
 Ion Ratio Lower Upper
 84 100
 86 67.6 45.4 84.2
 49 126.4 86.8 161.2

