

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U102419\
 Data File : VU035454.D
 Acq On : 24 Oct 2019 12:22
 Operator : JC/SP
 Sample : VU1024WBL01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK05

Quant Time: Oct 25 07:20:03 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR101719WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Oct 25 07:04:30 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	214663	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	219519	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	65401	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.62	65	72405	5.53	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	110.60%
7) Chloroethane-d5	1.93	69	70650	5.90	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	118.00%
11) 1,1-Dichloroethene-d2	2.59	63	95433	3.94	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	78.80%
20) 2-Butanone-d5	4.70	46	204494	54.37	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.74%
24) Chloroform-d	5.11	84	133342	5.58	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	111.60%
26) 1,2-Dichloroethane-d4	5.75	65	75218	5.68	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	113.60%
32) Benzene-d6	5.77	84	249427	4.97	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.40%
36) 1,2-Dichloropropane-d6	6.73	67	89454	5.61	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	112.20%
41) Toluene-d8	7.93	98	204610	4.26	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.20%
43) trans-1,3-Dichloropropene-	8.22	79	32297	4.18	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	83.60%
46) 2-Hexanone-d5	8.70	63	133683	39.19	ug/L	0.02
Spiked Amount	50.000	Range	45 - 130	Recovery	=	78.38%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	73733	5.19	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.80%
64) 1,2-Dichlorobenzene-d4	12.22	152	58901	4.94	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.80%


Target Compounds					Ovalue
16) Methylene chloride	3.08	84	11884	0.716 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU102419\
Data File : VU035454.D
Acq On : 24 Oct 2019 12:22
Operator : JC/SP
Sample : VU1024WBL01
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK05

Quant Time: Oct 25 07:20:03 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR101719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Oct 25 07:04:30 2019
Response via : Initial Calibration





#16

Methylene chloride

Concen: 0.716 ug/L

RT: 3.08 min Scan# 542

Delta R.T. 0.00 min

Lab File: VU035454.D

Acq: 24 Oct 2019 12:22

Instrument :

MSVOA_U

ClientSampleId :

VBLK05

Tot Ion: 84 Resp: 11884

Ion Ratio Lower Upper

84 100

86 58.4 45.4 84.2

49 119.5 86.8 161.2

