

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU102519\
 Data File : VU035488.D
 Acq On : 25 Oct 2019 15:53
 Operator : JC/SP
 Sample : K5554-16
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GAQ96

Quant Time: Oct 26 04:27:32 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102519WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Oct 26 04:07:11 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	242338	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	273616	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	94956	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.62	65	121938	3.79	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	75.80%
7) Chloroethane-d5	1.94	69	100818	3.85	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	77.00%
11) 1,1-Dichloroethene-d2	2.59	63	152728	2.89	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	57.80%#
20) 2-Butanone-d5	4.70	46	253557	39.75	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	79.50%
24) Chloroform-d	5.11	84	177827	3.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	76.80%
26) 1,2-Dichloroethane-d4	5.75	65	100924	4.02	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.40%
32) Benzene-d6	5.77	84	378656	3.95	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	79.00%
36) 1,2-Dichloropropane-d6	6.74	67	127169	4.06	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	81.20%
41) Toluene-d8	7.93	98	321772	3.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	73.80%
43) trans-1,3-Dichloropropene-	8.22	79	45594	3.74	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	74.80%
46) 2-Hexanone-d5	8.70	63	173425	36.76	ug/L	0.02
Spiked Amount	50.000	Range	45 - 130	Recovery	=	73.52%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	95089	3.71	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	74.20%
64) 1,2-Dichlorobenzene-d4	12.22	152	86001	4.48	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	89.60%

Target Compounds					Ovalue
13) Acetone	2.67	43	13349	2.755 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU102519\
Data File : VU035488.D
Acq On : 25 Oct 2019 15:53
Operator : JC/SP
Sample : K5554-16
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GAQ96

Quant Time: Oct 26 04:27:32 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102519WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Oct 26 04:07:11 2019
Response via : Initial Calibration

