


Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU102620\
Data File : VU040952.D
Acq On : 26 Oct 2020 18:20
Operator : SY/MD
Sample : L4492-07
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AN5

Manual Integrations
APPROVED

MMDadoda
10/27/2020 3:11:57 PM

Quant Time: Oct 27 05:12:50 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102620WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Oct 27 03:00:07 2020
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU102620\
Data File : VU040952.D
Acq On : 26 Oct 2020 18:20
Operator : SY/MD
Sample : L4492-07
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AN5

Manual Integrations
APPROVED

MMDadoda
10/27/2020 3:11:57 PM

Quant Time: Oct 27 03:16:55 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102620WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Oct 27 03:00:07 2020
Response via : Initial Calibration



TIC: VU040952.D

(13) Acetone (T)

2.681min (-0.010) 3.99ug/L

response 4182

Ion	Exp%	Act%
43.05	100	100
58.05	12.70	25.92#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU102620\
 Data File : VU040952.D
 Acq On : 26 Oct 2020 18:20
 Operator : SY/MD
 Sample : L4492-07
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
ClientSampleId :
 C0AN5

Manual Integrations
APPROVED

MMDadoda
 10/27/2020 3:11:57 PM

Quant Time: Oct 27 03:16:55 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102620WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Oct 27 03:00:07 2020
 Response via : Initial Calibration



TIC: VU040952.D

(13) Acetone (T)

2.681min (-0.010) 7.52ug/L m

response 7893

MD
 10/27/20

Ion	Exp%	Act%
43.05	100	100
58.05	12.70	13.73
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU102620\
 Data File : VU040952.D
 Acq On : 26 Oct 2020 18:20
 Operator : SY/MD
 Sample : L4492-07
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 COAN5

Manual Integrations
 APPROVED

MMDadoda
 10/27/2020 3:11:57 PM

Quant Time: Oct 27 05:12:50 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102620WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Oct 27 03:00:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	55478	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	57501	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	22405	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	14080	3.02	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	60.40%
7) Chloroethane-d5	1.92	69	14442	4.03	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	80.60%
11) 1,1-Dichloroethene-d2	2.58	63	24336	2.66	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	53.20%#
20) 2-Butanone-d5	4.66	46	86003	56.03	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	112.06%
24) Chloroform-d	5.08	84	37688	4.58	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.60%
26) 1,2-Dichloroethane-d4	5.72	65	24138	4.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.40%
32) Benzene-d6	5.74	84	64138	4.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.40%
36) 1,2-Dichloropropane-d6	6.70	67	23862	4.76	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	95.20%
41) Toluene-d8	7.91	98	48634	3.49	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	69.80%#
43) trans-1,3-Dichloropropene-	8.19	79	8473	3.90	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.00%
46) 2-Hexanone-d5	8.64	63	59261	50.71	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	101.42%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	22324	4.80	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.00%
64) 1,2-Dichlorobenzene-d4	12.19	152	21053	5.36	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	107.20%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
13) Acetone	2.68	43	7893m	7.522	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

7 MD
 10/27/20