

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU102620\
 Data File : VU040946.D
 Acq On : 26 Oct 2020 16:01
 Operator : SY/MD
 Sample : L4492-19
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AP7

Quant Time: Oct 27 04:15:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102620WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Oct 27 03:00:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	54996	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	57891	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	23215	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	13571	2.94	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	58.80%
7) Chloroethane-d5	1.92	69	14875	4.19	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	83.80%
11) 1,1-Dichloroethene-d2	2.58	63	23395	2.58	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	51.60%#
20) 2-Butanone-d5	4.66	46	83088	54.61	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	109.22%
24) Chloroform-d	5.08	84	36524	4.47	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.40%
26) 1,2-Dichloroethane-d4	5.72	65	23419	4.62	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.40%
32) Benzene-d6	5.75	84	62590	4.04	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.80%
36) 1,2-Dichloropropane-d6	6.70	67	23206	4.60	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.00%
41) Toluene-d8	7.91	98	46890	3.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	66.80%#
43) trans-1,3-Dichloropropene-	8.19	79	8530	3.90	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.00%
46) 2-Hexanone-d5	8.64	63	57911	49.23	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.46%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	21850	4.67	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.40%
64) 1,2-Dichlorobenzene-d4	12.19	152	21581	5.30	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.00%


Target Compounds					Ovalue
13) Acetone	2.68	43	10889	10.468 ug/L	73
16) Methylene chloride	3.06	84	2381	0.526 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU102620\
Data File : VU040946.D
Acq On : 26 Oct 2020 16:01
Operator : SY/MD
Sample : L4492-19
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AP7

Quant Time: Oct 27 04:15:28 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102620WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Oct 27 03:00:07 2020
Response via : Initial Calibration





#13

Acetone

Concen: 10.468 ug/L

RT: 2.68 min Scan# 418

Delta R.T. -0.01 min

Lab File: VU040946.D

Acq: 26 Oct 2020 16:01

Instrument :

MSVOA_U

ClientSampled :


C0AP7

Tot Ion: 43 Resp: 10889

Ion Ratio Lower Upper




43 100

58 23.4 0.0 25.4



Abundance Ion 43.05 (42.75 to 43.75): VU0

Ion 58.05 (57.75 to 58.75): VU0



#16

Methylene chloride

Concen: 0.526 ug/L

RT: 3.06 min Scan# 536

Delta R.T. 0.00 min

Lab File: VU040946.D

Acq: 26 Oct 2020 16:01


Tgt Ion: 84 Resp: 2381

Ion Ratio Lower Upper

84 100

86 77.7 42.8 79.6

49 137.8 99.5 184.7



Abundance Ion 84.05 (83.75 to 84.75): VU0

Ion 86.00 (85.70 to 86.70): VU0

Ion 49.10 (48.80 to 49.80): VU0

