

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU102622\
 Data File : VU051523.D
 Acq On : 27 Oct 2022 00:25
 Operator : JC/MD
 Sample : N5300-10
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BHAE7

Quant Time: Oct 27 08:25:35 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Oct 27 08:11:03 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	261076	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	271621	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	108740	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	100118	4.754	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	95.000%
7) Chloroethane-d5	1.909	69	88663	4.900	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	98.000%
11) 1,1-Dichloroethene-d2	2.565	65	37120	4.459	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	89.200%
20) 2-Butanone-d5	4.616	46	270209	58.277	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	116.560%
24) Chloroform-d	5.060	84	181325	4.618	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.400%
26) 1,2-Dichloroethane-d4	5.700	65	97722	4.826	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.600%
32) Benzene-d6	5.726	84	355704	4.760	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.200%
36) 1,2-Dichloropropane-d6	6.690	67	118132	4.655	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.200%
41) Toluene-d8	7.896	98	280960	4.203	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.000%
43) trans-1,3-Dichloroprop...	8.179	79	32124	3.853	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	77.000%
46) 2-Hexanone-d5	8.632	63	190773	67.892	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	135.780%#
56) 1,1,2,2-Tetrachloroeth...	10.754	84	104563	5.158	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.200%
66) 1,2-Dichlorobenzene-d4	12.192	152	99020	5.239	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.800%
Target Compounds						Qvalue
13) Acetone	2.626	43	18833	5.416	ug/L	98
25) Chloroform	5.086	83	61362	1.421	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU102622\
Data File : VU051523.D
Acq On : 27 Oct 2022 00:25
Operator : JC/MD
Sample : N5300-10
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BHA7

Quant Time: Oct 27 08:25:35 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR100722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Oct 27 08:11:03 2022
Response via : Initial Calibration





#13

Acetone

Concen: 5.416 ug/L

RT: 2.626 min Scan# 40

Delta R.T. 0.003 min

Lab File: VU051523.D

Acq: 27 Oct 2022 00:25

Instrument :

MSVOA_U

ClientSampleId :





BHAE7

Tgt Ion: 43 Resp: 18833

Ion Ratio Lower Upper

43 100

58 35.4 0.0 68.8



#25

Chloroform

Concen: 1.421 ug/L

RT: 5.086 min Scan# 1165

Delta R.T. -0.000 min

Lab File: VU051523.D

Acq: 27 Oct 2022 00:25

Tgt Ion: 83 Resp: 61362

Ion Ratio Lower Upper

83 100

85 64.6 45.6 84.6

