

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU102723\
 Data File : VU055943.D
 Acq On : 28 Oct 2023 00:29
 Operator : MD/SY
 Sample : 05113-05
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B43

Quant Time: Oct 28 02:00:58 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102423WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Oct 25 05:19:13 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.248	114	357696	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	343857	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.811	152	150092	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.599	65	63216	2.234	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	44.600%
7) Chloroethane-d5	1.914	69	63688	2.888	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	57.800%#
11) 1,1-Dichloroethene-d2	2.567	65	28805	2.398	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	48.000%#
20) 2-Butanone-d5	4.628	46	274119	54.304	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.600%
24) Chloroform-d	5.062	84	183940	3.508	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	70.200%
26) 1,2-Dichloroethane-d4	5.702	65	93607	3.664	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	73.200%
32) Benzene-d6	5.724	84	329301	3.215	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	64.200%#
36) 1,2-Dichloropropane-d6	6.689	67	116393	3.833	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	76.600%
41) Toluene-d8	7.898	98	262315	2.823	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	56.400%#
43) trans-1,3-Dichloroprop...	8.181	79	35721	3.008	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	60.200%
46) 2-Hexanone-d5	8.631	63	208567	69.185	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	138.380%#
56) 1,1,2,2-Tetrachloroeth...	10.753	84	103311	4.672	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.400%
66) 1,2-Dichlorobenzene-d4	12.190	152	104985	3.749	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	75.000%#
Target Compounds						
					Qvalue	
47) Tetrachloroethene	8.554	164	3865	0.260	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU102723\
Data File : VU055943.D
Acq On : 28 Oct 2023 00:29
Operator : MD/SY
Sample : 05113-05
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B43


Quant Time: Oct 28 02:00:58 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102423WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Oct 25 05:19:13 2023
Response via : Initial Calibration





#47
 Tetrachloroethene
 Concen: 0.260 ug/L
 RT: 8.554 min Scan# 21
 Delta R.T. 0.003 min
 Lab File: VU055943.D
 Acq: 28 Oct 2023 00:29

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B43



Tgt Ion:	164	Resp:	3865
Ion	Ratio	Lower	Upper
164	100		
129	105.4	72.2	134.0
131	105.1	70.8	131.6
166	120.5	89.0	165.2

