

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU102723\
 Data File : VU055933.D
 Acq On : 27 Oct 2023 19:08
 Operator : MD/SY
 Sample : 05009-08MS
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A49A1MS

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.1

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102423WMA.M

Title : TRACE VOA SFAM1.0

Signal : TIC: VU055933.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.383	22	29	56	rVB	303105	332484	11.70%	0.645%
2	1.518	64	71	86	rVB	260700	301070	10.59%	0.584%
3	1.602	88	97	112	rBV2	353535	438647	15.43%	0.851%
4	1.856	168	176	186	rBV	212441	267210	9.40%	0.518%
5	1.914	186	194	196	rVV	119329	137008	4.82%	0.266%
6	1.933	197	200	218	rVB	158751	189769	6.68%	0.368%
7	2.139	253	264	280	rVB	351837	518411	18.24%	1.005%
8	2.576	380	400	411	rBV4	834146	1640306	57.70%	3.181%
9	2.631	411	417	445	rVB	119596	259092	9.11%	0.502%
10	2.792	454	467	489	rVB	317883	548867	19.31%	1.064%
11	2.952	507	517	531	rBV2	19102	39868	1.40%	0.077%
12	3.046	531	546	579	rVB	267562	554343	19.50%	1.075%
13	3.354	622	642	674	rBV3	558390	1267440	44.58%	2.458%
14	3.866	785	801	828	rVB	223381	537858	18.92%	1.043%
15	4.663	1025	1049	1057	rBV2	325272	1113158	39.16%	2.159%
16	4.972	1131	1145	1159	rBV	192058	430821	15.15%	0.836%
17	5.074	1160	1177	1202	rVB3	383687	1200478	42.23%	2.328%
18	5.312	1234	1251	1262	rBV	312303	715721	25.18%	1.388%
19	5.386	1262	1274	1298	rVV	440378	1003490	35.30%	1.946%
20	5.521	1299	1316	1342	rVB2	293609	651129	22.90%	1.263%
21	5.724	1358	1379	1386	rBV2	481401	1226128	43.13%	2.378%
22	5.772	1386	1394	1426	rVB2	671181	1609181	56.60%	3.121%
23	6.245	1528	1541	1568	rBV	508330	984614	34.63%	1.910%
24	6.541	1619	1633	1652	rBV	448555	855638	30.10%	1.659%
25	6.689	1665	1679	1690	rBV	293511	573579	20.18%	1.112%
26	6.763	1690	1702	1740	rVB4	596382	1821400	64.07%	3.532%
27	7.100	1794	1807	1830	rBV	274760	520062	18.29%	1.009%
28	7.563	1938	1951	1956	rBV	136816	230280	8.10%	0.447%
29	7.605	1956	1964	1989	rVB	321027	590621	20.78%	1.145%
30	7.785	2007	2020	2041	rBV	1070860	1928523	67.84%	3.740%
31	7.894	2043	2054	2066	rVV	617003	1096323	38.56%	2.126%
32	7.965	2066	2076	2105	rVB	843792	1506151	52.98%	2.921%
33	8.206	2132	2151	2183	rBV2	270958	615941	21.67%	1.195%
34	8.396	2197	2210	2226	rBV	326380	561936	19.77%	1.090%
35	8.550	2244	2258	2272	rBV	533896	912691	32.10%	1.770%
36	8.631	2272	2283	2291	rVV	637547	1142720	40.20%	2.216%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU102723\
 Data File : VU055933.D
 Acq On : 27 Oct 2023 19:08
 Operator : MD/SY
 Sample : 05009-08MS
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A49A1MS

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.1

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102423WMA.M
 Title : TRACE VOA SFAM1.0

37	8.679	2291	2298	2325	rVV	794145	1480631	52.08%	2.871%
38	8.804	2327	2337	2361	rVV	228221	404502	14.23%	0.784%
39	8.920	2361	2373	2392	rVB	139934	243791	8.58%	0.473%
40	9.415	2513	2527	2531	rBV	737086	1186846	41.75%	2.302%
41	9.566	2562	2574	2598	rBV	945712	1575489	55.42%	3.055%
42	9.692	2600	2613	2651	rVB	907239	1578350	55.52%	3.061%
43	10.103	2726	2741	2770	rBV5	1350217	2842910	100.00%	5.513%
44	10.286	2785	2798	2812	rBV	142391	245237	8.63%	0.476%
45	10.479	2845	2858	2887	rBV	1036851	1683322	59.21%	3.265%
46	10.753	2930	2943	2946	rBV	242150	352850	12.41%	0.684%
47	10.817	2957	2963	2977	rVB	191614	315788	11.11%	0.612%
48	11.084	3033	3046	3064	rBV	1008240	1567322	55.13%	3.040%
49	11.463	3143	3164	3185	rBV	982626	1573435	55.35%	3.051%
50	11.743	3237	3251	3261	rBV	757697	1221654	42.97%	2.369%
51	11.811	3261	3272	3275	rBV	814229	1232768	43.36%	2.391%
52	12.203	3374	3394	3417	rBV2	872106	2108610	74.17%	4.089%
53	12.994	3625	3640	3656	rBV2	67632	115486	4.06%	0.224%
54	13.216	3696	3709	3728	rBV	714986	1157093	40.70%	2.244%
55	13.836	3890	3902	3922	rBV	599237	955587	33.61%	1.853%
56	14.084	3966	3979	4001	rBV	332687	564671	19.86%	1.095%
57	14.325	4042	4054	4073	rBV	514264	834393	29.35%	1.618%




Sum of corrected areas: 51563693

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU102723\
Data File : VU055933.D
Acq On : 27 Oct 2023 19:08
Operator : MD/SY
Sample : 05009-08MS
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A49A1MS

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102423WMA.M
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU102723\
Data File : VU055933.D
Acq On : 27 Oct 2023 19:08
Operator : MD/SY
Sample : 05009-08MS
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A49A1MS

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102423WMA.M
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU102723\
Data File : VU055933.D
Acq On : 27 Oct 2023 19:08
Operator : MD/SY
Sample : 05009-08MS
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A49A1MS

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102423WMA.M
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc