

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU102822\
 Data File : VU051589.D
 Acq On : 29 Oct 2022 00:38
 Operator : JC/MD
 Sample : N5276-09
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EW4W7

Quant Time: Oct 29 00:54:39 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102822WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Oct 29 00:39:42 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	200401	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	209206	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.809	152	78055	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	66797	4.426	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	88.600%
7) Chloroethane-d5	1.912	69	69140	4.392	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	87.800%
11) 1,1-Dichloroethene-d2	2.565	65	23555	4.300	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	86.000%
20) 2-Butanone-d5	4.626	46	250728	45.869	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	91.740%
24) Chloroform-d	5.060	84	147428	4.174	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.400%
26) 1,2-Dichloroethane-d4	5.700	65	82030	4.299	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.000%
32) Benzene-d6	5.726	84	269638	4.084	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.600%
36) 1,2-Dichloropropane-d6	6.690	67	97329	4.216	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	84.400%
41) Toluene-d8	7.896	98	184860	3.561	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	71.200%
43) trans-1,3-Dichloroprop...	8.179	79	21314	3.020	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	60.400%
46) 2-Hexanone-d5	8.632	63	176202	41.467	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	82.940%
56) 1,1,2,2-Tetrachloroeth...	10.754	84	91447	4.323	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.400%
66) 1,2-Dichlorobenzene-d4	12.192	152	70188	4.899	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.000%
Target Compounds					Qvalue	
13) Acetone	2.639	43	16181	5.834	ug/L	95
14) Carbon disulfide	2.793	76	44371	0.790	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU102822\
Data File : VU051589.D
Acq On : 29 Oct 2022 00:38
Operator : JC/MD
Sample : N5276-09
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EW4W7

Quant Time: Oct 29 00:54:39 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102822WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Oct 29 00:39:42 2022
Response via : Initial Calibration

