

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU102823\
 Data File : VU055970.D
 Acq On : 28 Oct 2023 13:39
 Operator : MD/SY
 Sample : 05009-15
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A49J7

Quant Time: Oct 30 04:53:30 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102423WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Oct 30 04:51:15 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.248	114	345952	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	345409	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.811	152	161023	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.599	65	115768	4.230	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	84.600%	
7) Chloroethane-d5	1.914	69	101523	4.759	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	95.200%	
11) 1,1-Dichloroethene-d2	2.567	65	53129	4.573	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	91.400%	
20) 2-Butanone-d5	4.624	46	230461	47.205	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	94.400%	
24) Chloroform-d	5.058	84	243393	4.800	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	96.000%	
26) 1,2-Dichloroethane-d4	5.698	65	112913	4.570	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	91.400%	
32) Benzene-d6	5.724	84	504807	4.906	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	98.200%	
36) 1,2-Dichloropropane-d6	6.689	67	153286	5.026	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	100.600%	
41) Toluene-d8	7.894	98	442167	4.737	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	94.800%	
43) trans-1,3-Dichloroprop...	8.177	79	50671	4.248	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	85.000%	
46) 2-Hexanone-d5	8.631	63	194150	64.113	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	128.220%	
56) 1,1,2,2-Tetrachloroeth...	10.753	84	106808	4.809	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	96.200%	
66) 1,2-Dichlorobenzene-d4	12.190	152	157721	5.250	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	105.000%	
Target Compounds						Qvalue
3) Chloromethane	1.518	50	7482	0.397	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU102823\
Data File : VU055970.D
Acq On : 28 Oct 2023 13:39
Operator : MD/SY
Sample : 05009-15
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A49J7

Quant Time: Oct 30 04:53:30 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102423WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Oct 30 04:51:15 2023
Response via : Initial Calibration

