

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU103023\
 Data File : VU055989.D
 Acq On : 30 Oct 2023 11:58
 Operator : MD/SY
 Sample : 05009-19
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK001

Quant Time: Oct 31 05:29:24 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102423WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Oct 31 05:28:08 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.248	114	347102	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	346959	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.811	152	159735	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.599	65	104444	3.804	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	76.000%	
7) Chloroethane-d5	1.914	69	96342	4.501	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	90.000%	
11) 1,1-Dichloroethene-d2	2.567	65	48662	4.175	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	83.400%	
20) 2-Butanone-d5	4.628	46	242904	49.589	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	99.180%	
24) Chloroform-d	5.062	84	241317	4.743	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	94.800%	
26) 1,2-Dichloroethane-d4	5.701	65	116171	4.687	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	93.800%	
32) Benzene-d6	5.724	84	493212	4.772	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	95.400%	
36) 1,2-Dichloropropane-d6	6.689	67	152195	4.968	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	99.400%	
41) Toluene-d8	7.897	98	418347	4.462	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	89.200%	
43) trans-1,3-Dichloroprop...	8.180	79	51959	4.336	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	86.800%	
46) 2-Hexanone-d5	8.634	63	195456	64.256	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	128.520%	
56) 1,1,2,2-Tetrachloroeth...	10.753	84	109042	4.887	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	97.800%	
66) 1,2-Dichlorobenzene-d4	12.190	152	151238	5.075	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	101.400%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU103023\
Data File : VU055989.D
Acq On : 30 Oct 2023 11:58
Operator : MD/SY
Sample : 05009-19
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK001

Quant Time: Oct 31 05:29:24 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102423WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Oct 31 05:28:08 2023
Response via : Initial Calibration

