

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU103023\
 Data File : VU055994.D
 Acq On : 30 Oct 2023 13:59
 Operator : MD/SY
 Sample : 05113-07
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B45

Quant Time: Oct 31 05:30:31 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102423WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Oct 31 05:28:08 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.248	114	254569	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	257379	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.810	152	120613	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.599	65	85041	4.223	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	84.400%
7) Chloroethane-d5	1.914	69	79155	5.043	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	100.800%
11) 1,1-Dichloroethene-d2	2.566	65	39927	4.670	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	93.400%
20) 2-Butanone-d5	4.627	46	216342	60.220	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	120.440%
24) Chloroform-d	5.062	84	202057	5.415	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	108.200%
26) 1,2-Dichloroethane-d4	5.698	65	97653	5.371	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	107.400%
32) Benzene-d6	5.724	84	405833	5.293	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.800%
36) 1,2-Dichloropropane-d6	6.688	67	124460	5.476	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	109.600%
41) Toluene-d8	7.894	98	345652	4.970	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.400%
43) trans-1,3-Dichloroprop...	8.180	79	42647	4.798	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	96.000%
46) 2-Hexanone-d5	8.630	63	170979	75.773	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	151.540%#
56) 1,1,2,2-Tetrachloroeth...	10.753	84	93153	5.628	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	112.600%
66) 1,2-Dichlorobenzene-d4	12.190	152	130500	5.799	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	116.000%
Target Compounds						Qvalue
47) Tetrachloroethene	8.553	164	4524	0.407	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU103023\
Data File : VU055994.D
Acq On : 30 Oct 2023 13:59
Operator : MD/SY
Sample : 05113-07
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B45

Quant Time: Oct 31 05:30:31 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102423WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Oct 31 05:28:08 2023
Response via : Initial Calibration

