

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU103023\
 Data File : VU056000.D
 Acq On : 30 Oct 2023 16:25
 Operator : MD/SY
 Sample : 05113-16
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B75

Quant Time: Oct 31 05:32:00 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102423WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Oct 31 05:28:08 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.248	114	331018	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	330609	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.811	152	154887	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.599	65	92134	3.519	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	70.400%
7) Chloroethane-d5	1.914	69	86477	4.237	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	84.800%
11) 1,1-Dichloroethene-d2	2.567	65	42259	3.801	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	76.000%
20) 2-Butanone-d5	4.628	46	229591	49.148	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	98.300%
24) Chloroform-d	5.058	84	215744	4.446	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.000%
26) 1,2-Dichloroethane-d4	5.698	65	104597	4.425	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.400%
32) Benzene-d6	5.724	84	435460	4.422	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.400%
36) 1,2-Dichloropropane-d6	6.685	67	137391	4.706	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.200%
41) Toluene-d8	7.897	98	362712	4.060	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	81.200%
43) trans-1,3-Dichloroprop...	8.180	79	44375	3.886	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	77.800%
46) 2-Hexanone-d5	8.631	63	184325	63.594	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	127.180%
56) 1,1,2,2-Tetrachloroeth...	10.753	84	101455	4.772	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	95.400%
66) 1,2-Dichlorobenzene-d4	12.190	152	136588	4.727	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.600%
Target Compounds						Qvalue
47) Tetrachloroethene	8.553	164	17932	1.255	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU103023\
Data File : VU056000.D
Acq On : 30 Oct 2023 16:25
Operator : MD/SY
Sample : 05113-16
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B75


Quant Time: Oct 31 05:32:00 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102423WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Oct 31 05:28:08 2023
Response via : Initial Calibration





#47
 Tetrachloroethene
 Concen: 1.255 ug/L
 RT: 8.553 min Scan# 21
 Delta R.T. 0.003 min
 Lab File: VU056000.D
 Acq: 30 Oct 2023 16:25

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B75



Tgt Ion:	164	Resp:	17932
Ion	Ratio	Lower	Upper
164	100		
129	110.3	72.2	134.0
131	96.4	70.8	131.6
166	130.8	89.0	165.2

