

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU103119\
 Data File : VU035578.D
 Acq On : 30 Oct 2019 22:06
 Operator : JC/SP
 Sample : K5559-07
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Oct 31 01:06:03 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM103119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 31 00:14:38 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	696903	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	675463	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	212131	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.62	65	277310	49.27	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	98.54%
7) Chloroethane-d5	1.93	69	228492	50.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	101.66%
11) 1,1-Dichloroethene-d2	2.59	63	329067	37.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	75.18%
21) 2-Butanone-d5	4.69	46	338724	103.02	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.02%
24) Chloroform-d	5.11	84	428916	49.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.68%
26) 1,2-Dichloroethane-d4	5.75	65	274559	51.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.12%
32) Benzene-d6	5.77	84	922158	52.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.74%
36) 1,2-Dichloropropane-d6	6.74	67	297301	52.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.14%
41) Toluene-d8	7.93	98	824495	49.65	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.30%
43) trans-1,3-Dichloropropene-	8.22	79	131354	49.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	99.88%
47) 2-Hexanone-d5	8.68	63	220535	100.78	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.78%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	394516	48.59	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.18%
64) 1,2-Dichlorobenzene-d4	12.22	152	230163	53.79	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.58%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU103119\
Data File : VU035578.D
Acq On : 30 Oct 2019 22:06
Operator : JC/SP
Sample : K5559-07
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Oct 31 01:06:03 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM103119WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 31 00:14:38 2019
Response via : Initial Calibration

