

Quantitation Report (QT Reviewed)


Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU110220\
 Data File : VU041048.D
 Acq On : 02 Nov 2020 14:14
 Operator : SY/MD
 Sample : L4550-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampled :
 BFSF3

Quant Time: Nov 03 01:16:46 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102620WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Nov 03 00:40:40 2020
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 11/3/2020 8:43:35 AM



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU110220\
 Data File : VU041048.D
 Acq On : 02 Nov 2020 14:14
 Operator : SY/MD
 Sample : L4550-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFSF3

Quant Time: Nov 03 00:48:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102620WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Nov 03 00:40:40 2020
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 11/3/2020 8:43:35 AM



TIC: VU041048.D

(13) Acetone (T)

2.813min (+0.164) 7.08ug/L

response 7022

Ion	Exp%	Act%
43.05	100	100
58.05	12.70	3.12
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU110220\
 Data File : VU041048.D
 Acq On : 02 Nov 2020 14:14
 Operator : SY/MD
 Sample : L4550-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFSF3

Manual Integrations
 APPROVED

MMDadoda
 11/3/2020 8:43:35 AM

Quant Time: Nov 03 00:48:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102620WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Nov 03 00:40:40 2020
 Response via : Initial Calibration



(13) Acetone (T)

2.645min (-0.003) 4.66ug/L m } M.D
 11/03/20

response 4624

Ion	Exp%	Act%
43.05	100	100
58.05	12.70	4.74
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU110220\
 Data File : VU041048.D
 Acq On : 02 Nov 2020 14:14
 Operator : SY/MD
 Sample : L4550-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 Client Sampled :
 BFSF3

Manual Integrations
 APPROVED

MMDadoda
 11/3/2020 8:43:35 AM

Quant Time: Nov 03 01:16:46 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102620WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Nov 03 00:40:40 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	52410	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	53289	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	22710	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	20401	4.63	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	92.60%
7) Chloroethane-d5	1.92	69	15398	4.55	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.00%
11) 1,1-Dichloroethene-d2	2.58	63	30237	3.50	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.00%
20) 2-Butanone-d5	4.65	46	85061	58.66	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	117.32%
24) Chloroform-d	5.08	84	36953	4.75	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.00%
26) 1,2-Dichloroethane-d4	5.72	65	24676	5.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.20%
32) Benzene-d6	5.74	84	69285	4.86	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.20%
36) 1,2-Dichloropropane-d6	6.70	67	23406	5.04	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.80%
41) Toluene-d8	7.91	98	58107	4.50	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.00%
43) trans-1,3-Dichloropropene-	8.19	79	9917	4.93	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	98.60%
46) 2-Hexanone-d5	8.64	63	60155	55.55	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	111.10%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	23188	5.38	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	107.60%
64) 1,2-Dichlorobenzene-d4	12.19	152	21867	5.49	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	109.80%

Target Compounds

3) Chloromethane	1.53	50	1459	0.292	ug/L	Ovalue
13) Acetone	2.65	43	4624m	4.665	ug/L	91

m
 11/03/20

(#) = qualifier out of range (m) = manual integration (+) = signals summed