

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U110320\
 Data File : VU041073.D
 Acq On : 03 Nov 2020 13:04
 Operator : SY/MD
 Sample : L4614-02
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFSE6

Quant Time: Nov 04 01:28:57 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102620WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Nov 04 00:51:13 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	55894	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	58029	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	24486	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	18528	3.94	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	78.80%
7) Chloroethane-d5	1.92	69	14934	4.14	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	82.80%
11) 1,1-Dichloroethene-d2	2.58	63	27388	2.97	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	59.40%#
20) 2-Butanone-d5	4.65	46	80814	52.26	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.52%
24) Chloroform-d	5.08	84	36297	4.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.60%
26) 1,2-Dichloroethane-d4	5.72	65	23158	4.50	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.00%
32) Benzene-d6	5.74	84	65053	4.19	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.80%
36) 1,2-Dichloropropane-d6	6.70	67	22813	4.51	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	90.20%
41) Toluene-d8	7.91	98	53183	3.78	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	75.60%
43) trans-1,3-Dichloropropene-	8.19	79	9146	4.18	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	83.60%
46) 2-Hexanone-d5	8.64	63	56010	47.50	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	95.00%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	21278	4.53	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.60%
64) 1,2-Dichlorobenzene-d4	12.19	152	20402	4.75	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.00%


Target Compounds					Ovalue
3) Chloromethane	1.53	50	7795	1.465 ug/L	98
13) Acetone	2.66	43	4153	3.928 ug/L #	65


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU110320\
Data File : VU041073.D
Acq On : 03 Nov 2020 13:04
Operator : SY/MD
Sample : L4614-02
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFSE6

Quant Time: Nov 04 01:28:57 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR102620WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Nov 04 00:51:13 2020
Response via : Initial Calibration









#3
Chloromethane
Concen: 1.465 ug/L
RT: 1.53 min Scan# 58
Delta R.T. -0.00 min
Lab File: VU041073.D
Acq: 03 Nov 2020 13:04

Instrument :
MSVOA_U
ClientSampleId :
BFSE6

Tot Ion: 50 Resp: 7795
Ion Ratio Lower Upper
50 100
52 31.0 22.4 41.6



#13
Acetone
Concen: 3.928 ug/L
RT: 2.66 min Scan# 410
Delta R.T. -0.01 min
Lab File: VU041073.D
Acq: 03 Nov 2020 13:04

Tgt Ion: 43 Resp: 4153
Ion Ratio Lower Upper
43 100
58 26.5 0.0 25.4#

