

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110322\
 Data File : VU051740.D
 Acq On : 03 Nov 2022 17:49
 Operator : JC/MD
 Sample : N5319-19
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK001

Quant Time: Nov 04 00:53:19 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102822WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 04 00:49:19 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	176924	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	197524	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	91184	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	59508	4.466	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	89.400%
7) Chloroethane-d5	1.912	69	56973	4.100	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	82.000%
11) 1,1-Dichloroethene-d2	2.565	65	25138	5.198	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	104.000%
20) 2-Butanone-d5	4.620	46	173399	35.932	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	71.860%
24) Chloroform-d	5.060	84	132833	4.260	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.200%
26) 1,2-Dichloroethane-d4	5.700	65	69268	4.112	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.200%
32) Benzene-d6	5.726	84	248396	3.985	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	79.600%
36) 1,2-Dichloropropane-d6	6.690	67	88228	4.048	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	81.000%
41) Toluene-d8	7.896	98	193860	3.955	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.000%
43) trans-1,3-Dichloroprop...	8.179	79	26698	4.006	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.200%
46) 2-Hexanone-d5	8.632	63	129733	32.337	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	64.680%
56) 1,1,2,2-Tetrachloroeth...	10.755	84	79280	3.969	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	79.400%
66) 1,2-Dichlorobenzene-d4	12.189	152	77271	4.617	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	92.400%
Target Compounds						Qvalue
16) Methylene chloride	3.044	84	12737	0.506	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110322\
Data File : VU051740.D
Acq On : 03 Nov 2022 17:49
Operator : JC/MD
Sample : N5319-19
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK001

Quant Time: Nov 04 00:53:19 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102822WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 04 00:49:19 2022
Response via : Initial Calibration

