

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU110719\
 Data File : VU035669.D
 Acq On : 07 Nov 2019 18:59
 Operator : JC/SP
 Sample : K5739-06
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CR4

Quant Time: Nov 08 07:13:45 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM103119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 08 06:13:27 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	702337	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	673554	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	195958	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.62	65	276862	48.81	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	97.62%
7) Chloroethane-d5	1.93	69	229789	50.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	101.44%
11) 1,1-Dichloroethene-d2	2.60	63	325647	36.91	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.82%
21) 2-Butanone-d5	4.69	46	320828	96.82	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	96.82%
24) Chloroform-d	5.11	84	434894	49.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.28%
26) 1,2-Dichloroethane-d4	5.75	65	267258	49.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.60%
32) Benzene-d6	5.77	84	920004	52.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.80%
36) 1,2-Dichloropropane-d6	6.74	67	295432	51.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.78%
41) Toluene-d8	7.93	98	839754	50.71	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.42%
43) trans-1,3-Dichloropropene-	8.21	79	128761	49.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	98.18%
47) 2-Hexanone-d5	8.68	63	209276	95.90	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	95.90%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	390664	48.25	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.50%
64) 1,2-Dichlorobenzene-d4	12.22	152	218347	55.24	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	110.48%


Target Compounds					Ovalue
13) Acetone	2.67	43	5801	1.990 ug/L	100
25) Chloroform	5.14	83	56335	6.365 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU110719\
Data File : VU035669.D
Acq On : 07 Nov 2019 18:59
Operator : JC/SP
Sample : K5739-06
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CR4

Quant Time: Nov 08 07:13:45 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM103119WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 08 06:13:27 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.990 ug/L

RT: 2.67 min Scan# 414

Delta R.T. 0.01 min

Lab File: VU035669.D

Acq: 07 Nov 2019 18:59

Instrument :

MSVOA_U

ClientSampled :


C0CR4

Tot Ion: 43 Resp: 5801

Ion Ratio Lower Upper




43 100

58 35.3 0.0 70.0



Abundance Ion 43.00 (42.70 to 43.70): VU035669.D (-319) (-)

Ion 58.00 (57.70 to 58.70): VU035669.D (-319) (-)



#25

Chloroform

Concen: 6.365 ug/L

RT: 5.14 min Scan# 1182

Delta R.T. 0.00 min

Lab File: VU035669.D


Acq: 07 Nov 2019 18:59

Tgt Ion: 83 Resp: 56335

Ion Ratio Lower Upper

83 100

85 62.0 45.4 84.4



Abundance Ion 83.00 (82.70 to 83.70): VU035669.D (-1088) (-)

Ion 85.00 (84.70 to 85.70): VU035669.D (-1088) (-)

