

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U110719\
 Data File : VU035678.D
 Acq On : 07 Nov 2019 22:26
 Operator : JC/SP
 Sample : K5697-12
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 H0AB2

Quant Time: Nov 08 07:44:37 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM103119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 08 06:13:27 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	682548	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	657439	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	186234	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.62	65	269409	48.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	97.74%
7) Chloroethane-d5	1.93	69	226800	51.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	103.04%
11) 1,1-Dichloroethene-d2	2.60	63	321274	37.47	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.94%
21) 2-Butanone-d5	4.69	46	328954	102.15	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.15%
24) Chloroform-d	5.11	84	423773	49.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.54%
26) 1,2-Dichloroethane-d4	5.75	65	266585	51.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.22%
32) Benzene-d6	5.77	84	914717	53.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.76%
36) 1,2-Dichloropropane-d6	6.74	67	297488	53.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	107.06%
41) Toluene-d8	7.93	98	811837	50.22	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.44%
43) trans-1,3-Dichloropropene-	8.22	79	125742	49.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	98.24%
47) 2-Hexanone-d5	8.68	63	203175	95.39	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	95.39%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	385352	48.76	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.52%
64) 1,2-Dichlorobenzene-d4	12.22	152	207834	55.33	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	110.66%


Target Compounds					Ovalue
13) Acetone	2.67	43	5878	2.075 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU110719\
Data File : VU035678.D
Acq On : 07 Nov 2019 22:26
Operator : JC/SP
Sample : K5697-12
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
H0AB2

Quant Time: Nov 08 07:44:37 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM103119WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 08 06:13:27 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.075 ug/L

RT: 2.67 min Scan# 414

Delta R.T. 0.01 min

Lab File: VU035678.D

Acq: 07 Nov 2019 22:26

Instrument :
MSVOA_U
ClientSampleId :
H0AB2

Tot Ion: 43 Resp: 5878

Ion Ratio Lower Upper

43 100

58 35.5 0.0 70.0

